

誌 上 発 表 Publications

[雑誌]

(原著論文) *印は査読制度がある論文誌

- Otsu H., Kobayashi T., Matsuda Y., Kitayama M., Inafuku K., Ozawa A., Satou Y., Suda T., Yoshida K., and Sakaguchi H.: “Measurement of the H(38s,p’) reaction at forward angles including 0 degree”, Nucl. Phys. A **788**, 266c–270c (1997). *
- Inakura T., Mizutori S., Yamagami M., and Matuyanagi K.: “Superdeformed Bands in Neutron-Rich Sulfur Isotopes suggested by Cranked Skyrme-Hartree-Fock Calculations”, Nucl. Phys. A **728**, 52–64 (2003). *
- Kobayasi M., Nakatsukasa T., Matsuo M., and Matuyanagi K.: “Collective Path Connecting the Oblate and Prolate Local Minima in 68Se”, Prog. Theor. Phys. **112**, No. 2, pp. 363–368 (2004). *
- Sakuragi H., Maenaka Y., and Furumoto T.: “Coupled-channels study of 10Be+4He structure of highly-excited 14C”, J. Phys.: Con. Ser. **111**, 012019-1–012019-6 (2007). *
- Funaki Y., Horiuchi H., Roepke G., Schuck P., Suzuki A., Yamada T., and Oertzen W. v.: “Viability of nuclear alpha-particle condensates A reply to N.T. Zinner and A.S. Jensen, arXiv:nucl/th0712.1191”, arXiv: 0805.1526, pp. 1–9 (2008).
- Yamada T., Funaki Y., Horiuchi H., Roepke G., Schuck P., and Suzuki A.: “Internal One-Particle Density Matrix for Bose-Einstein Condensates with Finite Number of Particles in a Harmonic Potential”, arXiv: 0811.0288, pp. 1–10 (2008).
- Moller P., Ragnar B., Carlsson G., Olivius P., Ichikawa T., Sagawa H., and Iwamoto A.: “Axial and reflection asymmetry of the nuclear ground state”, Atomic Data and Nuclear Data Tables **94**, 758 (2008). *
- Nakatsukasa T., Yabana K., and Ito M.: “Time-dependent approaches for reaction and response in unstable nuclei”, Eur. Phys. J. Special Topics **156**, 249–256 (2008). *
- Ito M. and Itagaki N.: “Unified studies of nuclear reactions and exotic structures in ¹²Be”, Int. J. Mod. Phys. E **12**, No. 10, pp. 2061–2065 (2008). *
- Ito M. and Itagaki N.: “Covalent, Ionic, and Atomic Structures in ¹²Be”, Mod. Phys. Lett. A, p. 1 (2008). *
- Nakatsukasa T., Shinohara S., Ohta H., and Yabana K.: “Stochastic approach to correlation beyond the mean field with the Skyrme interaction”, Nucl. Phys. A **805**, 347–349 (2008). *
- Yabana K., Ito M., and Nakatsukasa T.: “Time-dependent description for nuclear reaction dynamics in the continuum”, Nucl. Phys. A **805**, 428–430 (2008). *
- Yamada T., Funaki Y., Horiuchi H., Roepke G., Schuck P., and Suzuki A.: “Criterion for Bose-Einstein condensation in traps and self-bound systems”, Phys. Rev. A **78**, 035603-1–035603-4 (2008). *
- Otobe T., Yamagiwa M., Iwata J., Yabana K., Nakatsukasa T., and Bertsch G. F.: “First-principles electron dynamics simulation for optical breakdown of dielectrics under an intense laser field”, Phys. Rev. B **77**, 165104-1–165104-5 (2008). *
- Sarhan B. A., Horiuchi W., Kohama A., and Suzuki Y.: “Reaction cross sections of carbon isotopes incident on a proton”, Phys. Rev. C **77**, No. 3, pp. 034607-1–034607-11 (2008). *
- Yoshida K. and Yamagami M.: “Low-frequency $K^\pi = 0^+$ modes in deformed neutron-rich nuclei: Pairing- and β -vibrational modes of neutrons”, Phys. Rev. C **77**, No. 4, pp. 044312-1–044312-9 (2008). *
- Tanabe K. and Tanabe K. S.: “Selection rules for electromagnetic transitions in triaxially deformed odd-A nuclei”, Phys. Rev. C **77**, No. 6, pp. 064318-1–064318-11 (2008). *
- Yamaguchi T., Suzuki T., Ohnishi T., Becker F., Fukuda M., Geissel H., Hosoi M., Janik R., Kimura K., Kuboki T., Mandel S., Matsuo M., Muenzenberg G., Nakajima S., Ohtsubo T., Ozawa A., Prochazka A., Shindo M., Sitar B., Strmen P., Suda T., Suemmerer K., Sugawara K., Szarka I., Takechi M., Takisawa A., Tanaka K., and Yamagami M.: “Nuclear matter radii of neutron-deficient Kr isotopes”, Phys. Rev. C **77**, 034315-1–034315-6 (2008). *
- Funaki Y., Horiuchi H., Roepke G., Schuck P., Suzuki A., and Yamada T.: “Density-induced suppression of the α -particle condensate in nuclear matter and the structure of α cluster states in nuclei”, Phys. Rev. C **77**, 064312-1–064312-6 (2008). *
- Yamagami M. and Shimizu Y.: “Pairing effects for rotational excitations unique to neutron-rich nuclei”, Phys. Rev. C **77**, 064319-1–064319-15 (2008). *
- Itagaki N., Ito M., Milin M., Hashimoto T., Ishiyama H., and Miyatake H.: “Coexistence of $\alpha+\alpha+n+n$ and $\alpha+t+t$ cluster structures in ¹⁰Be”, Phys. Rev. C **77**, 067301-1–067301-4 (2008). *
- Yoshida K. and Nguyen V. G.: “Low-lying dipole resonance in neutron-rich Ne isotopes”, Phys. Rev. C **78**, No. 1, pp. 014305-1–014305-9 (2008). *
- Furumoto T., Sakuragi H., and Yamamoto Y.: “New complex G-matrix interactions derived from two- and three-body forces and application to proton nucleus elastic scattering”, Phys. Rev. C **78**, No. 4, pp. 044610-1–044610-12 (2008). *
- Kohama A., Iida K., and Oyamatsu K.: “Difference between interaction cross sections and reaction cross sections”, Phys. Rev. C **78**, No. 6, pp. 061601(R) -1–061601(R) -5 (2008). *
- Yoshida K. and Nguyen V.: “Deformed quasiparticle-random-phase approximation for neutron-rich nuclei using the Skyrme energy density functional”, Phys. Rev. C **78**, No. 6, pp. 064316-1–064316-10 (2008). *
- Barbieri C., Caurier E., Langanke K.,

- and Martinez-Pinedo G.: “Reply to ”Comment on ‘Pygmy dipole response of proton-rich argon nuclei in random-phase approximation and no-core shell model’ ””, *Phys. Rev. C* **78**, No. 039802, (2008). *
- Ito M. and Itagaki N.: “Covalent isomeric state in ^{12}Be induced by two-neutron transfers”, *Phys. Rev. C* **78**, 011602(R)-1–011602(R)-5 (2008). *
- Itagaki N., Ito M., Arai K., Aoyama S., and Kokalova T.: “Mixing of di-neutron components in ^8He ”, *Phys. Rev. C* **78**, 017306-1–017306-4 (2008). *
- Robinson A. P., Khoo T. L., Ahmad I., Tandel S. K., Kondev F. G., Nakatsukasa T., Asai M., Black B. B., Butler P. A., Carpenter M. P., Chowdhury P., Davids C. N., Eekhaudt S., Greene J. P., Greenlees P. T., Gros S., Heinz A., Herzberg R. D., Janssens R. V., Jones G. D., Lauritsen T., Lister C. J., Peterson D., Qian J., Reiter P., Seweryniak D., Tandel U., Wang X., and Zhu S.: “ $K^\pi = 8^-$ Isomers and $K^\pi = 2^-$ Octupole Vibrations in $N = 150$ hell-Stabilized Nuclei”, *Phys. Rev. C* **78**, 034308-1–034308-6 (2008). *
- Ito M., Itagaki N., Sakurai H., and Ikeda K.: “Coexistence of covalent superdeformation and molecular resonances in an unbound region of ^{12}Be ”, *Phys. Rev. Lett.* **100**, 182502-1–182502-4 (2008). *
- Funaki Y., Yamada T., Horiuchi H., Roepke G., Schuck P., and Suzuki A.: “ α -particle condensation in ^{16}O studied with a full four-body orthogonality condition model calculation”, *Phys. Rev. Lett.* **101**, 082502-1–082502-4 (2008). *
- Ogasawara H., Yoshida K., Yamagami M., Mizutori S., and Matuyanagi K.: “Triaxiality dependence of octupole excitations on superdeformed states in ^{44}Ti ”, *Prog. Theor. Phys.* **120**, No. 6, pp. 1169–1192 (2008). *
- Yamada T., Funaki Y., Horiuchi H., Ikeda K., and Suzuki A.: “Monopole Excitation to Cluster States”, *Prog. Theor. Phys.* **120**, 1139–1167 (2008). *
- Barbieri C. and Van Neck D.: “Ab-initio Green’s Functions Calculations of Atoms”, *AIP Conf. Proc.* **1120**, 104–108 (2009). *
- Ito M. and Itagaki N.: “Unified studies of the exotic structures in ^{12}Be and the $\alpha+^8\text{He}$ slow scattering”, *AIP Conf. Proc.*, (2009). *
- Ito M.: “Degenerating clusters in an unbound region of ^{12}Be ”, *Int. J. Mod. Phys. A*, (2009). *
- Kondo Y., Nakamura T., Sato Y., Matsumoto T., Aoi N., Endo N., Fukuda N., Gomi T., Hashimoto Y., Ishihara M., Kawai S., Kitayama M., Kobayashi T., Matsuda Y., Matsui N., Motobayashi T., Nakabayashi T., Ogata K., Okumura T., Ong H., Onishi T., Otsu H., Sakurai H., Shimoura S., Shinohara M., Sugimoto T., Takeuchi S., Tamaki M., Togano Y., and Yanagisawa Y.: “One-neutron removal reactions of ^{18}C and ^{19}C on a proton target”, *Phys. Rev. C* **79**, No. 014602, pp. 014602-1–014602-7 (2009). *
- Elekes Z., Dombradi Z., Aiba T., Aoi N., Baba H., Bemmerer D., Brown B., Furumoto T., Fulop Z., Iwasa N., Kiss A. B., Kobayashi T., Kondo Y., Motobayashi T., Nakabayashi T., Nannichi T., Sakuragi H., Sakurai H., Sohler D., Takashina M., Takeuchi S., Tanaka K., Togano Y., Yamada K., Yamaguchi M., and Yoneda K.: “Persistent decoupling of valence neutrons toward the dripline: study of ^{20}C by γ spectroscopy”, *Phys. Rev. C* **79**, 011302-1–011302-5 (2009). *
- Furumoto T., Sakuragi H., and Yamamoto Y.: “Three-body-force effect on nucleus-nucleus elastic scattering”, *Phys. Rev. C* **79**, 011601-1–011601-4 (2009). *
- Ichikawa T., Iwamoto A., and Moller P.: “Origin of the narrow, single peak in the fission-fragment mass distribution for ^{258}Fm ”, *Phys. Rev. C* **79**, 014305 (2009). *
- Ogasawara H., Yoshida K., Yamagami M., Mizutori S., and Matuyanagi K.: “Rotational Frequency Dependence of Octupole Vibrations on Superdeformed States in ^{40}Ca ”, *Prog. Theor. Phys.* **121**, No. 2, pp. 357–374 (2009). *
- (総説)
- Barbieri C. and Dickhoff W. H.: “Spectroscopic Factors in ^{16}O and Nucleon Asymmetry”, *Int. J. Mod. Phys. A* **24**, No. 11, pp. 2060–2068 (2009).
- (その他)
- Yamada T., Funaki Y., Horiuchi H., Tohsaki A., Roepke G., and Schuck P.: “Dilute Alpha-Particle Condensation in ^{12}C and ^{16}O ”, *Int. J. Mod. Phys. B* **22**, No. 25/26, pp. 4545–4556 (2008).
- Yamada T., Horiuchi H., Ikeda K., Funaki Y., and Suzuki A.: “Monopole excitation to cluster states”, *J. Phys.: Con. Ser.* **111**, 012008-1–012014-6 (2008).
- Funaki Y., Yamada T., Horiuchi H., Roepke G., Schuck P., and Suzuki A.: “Alpha-cluster states and 4 alpha-particle Bose condensate in ^{16}O ”, *J. Phys.: Con. Ser.* **111**, 012012-1–012018-6 (2008).
- Funaki Y., Yamada T., Horiuchi H., Roepke G., Schuck P., and Suzuki A.: “Indication of 4α -particle Bose condensate in ^{16}O ”, *Nucl. Phys. A* **805**, 236–238 (2008).
- Kohama A., Iida K., and Oyamatsu K.: “Reaction cross section and nuclear radius in the black-sphere picture”, *Nucl. Phys. A* **805**, 415–417 (2008).
- Horiuchi W., Sarhan B. A., Kohama A., and Suzuki Y.: “Reaction cross sections of carbon isotopes incident on proton and ^{12}C target”, *Nucl. Phys. A* **805**, 418–420 (2008).
- Ito M. and Itagaki N.: “Nuclear Chemistry”, *Phys. Rev. Focus* **22**, No. Story 4, pp. 1–3 (2008).
- [単行本・Proc.]
(原著論文) *印は査読制度がある論文誌
- Moller P., Sierk A., Ragnar B., Ichikawa T., and Iwamoto A.: “New Global Calculation of Nuclear Masses and Fission Barriers for Astrophysical Applications”, *AIP Conference Proceedings* 1016, Sapporo, 2007– AIP, New

York, p. 150 (2008).

Nakatsukasa T., Yabana K., and Inakura T.: “Linear response calculations with the time-dependent Skyrme density functional”, Physics of Unstable Nuclei: Proceedings of International Symposium on Physics of Unstable Nuclei (ISPUN07), Hoi An, Vietnam, 2007–7, World Scientific, Singapore, pp. 195–200 (2008). *

Ichikawa T., Hagino K., and Iwamoto A.: “Existence of one-body barrier revealed in deep sub-barrier fusion”, Proceedings of International Nuclear Physics Conference (INPC2007), Tokyo, 2007– Elsevier, Dorchester, p. 519 (2008).

(その他)

Funaki Y., Yamada T., Schuck P., Horiuchi H., Suzuki A., and Roepke G.: “ α -cluster states and 4α -particle condensation in ^{16}O ”, Physics of Unstable Nuclei: Proceedings of International Symposium on Physics of Unstable Nuclei (ISPUN07), Hoi An, Vietnam, 2007–7, World Scientific, Singapore, pp. 380–385 (2008).

Funaki Y., Yamada T., Horiuchi H., Roepke G., Schuck P., and Suzuki A.: “Present status of alpha-particle condensate states in self-conjugate $4n$ nuclei”, Proceedings of State of the Art in Nuclear Cluster Physics (SOTANCP08), International Journal of Modern Physics E 17, No 10, Strasbourg, France, 2008–5, World Scientific, Singapore, pp. 2087–2095 (2008).

Yamada T. and Funaki Y.: “Cluster states and alpha particle condensation in ^{13}C ”, Proceedings of State of the Art in Nuclear Cluster Physics (SOTANCP08), International Journal of Modern Physics E 17, No 10, Strasbourg, France, 2008–5, World Scientific, Singapore, pp. 2101–2105 (2008).

Funaki Y., Yamada T., Horiuchi H., Roepke G., Schuck P., and Suzuki A.: “Alpha-Particle Condensation in Nuclear Systems”, Cluster Structure of Atomic Nuclei, Research Signpost/Transworld Research Network, Kerala, pp. 1–29 (2009).

□ 頭 発 表 Oral Presentations

(国際会議等)

Kobayashi M., Nakatsukasa T., Matsuo M., and Matuyanagi K.: “Collective path connecting the oblate and prolate local minima in proton-rich $N=Z$ nuclei around 68Se ”, 4th International Conference on Exotic Nuclei and Atomic Masses (ENAM 04), Georgia, USA, Sept. (2004).

Nakatsukasa T.: “Discussion Leader on Supercomputing in low-energy nuclear physics”, 2nd LACM-EFES-JUSTIPEN Workshop, (Oak Ridge National Laboratory), Oak Ridge, USA, Jan. (2008).

Nakatsukasa T.: “Time-dependent approaches to nuclear many-body problems”, 2008 APCTP-BLTP JINR Joint Workshop on Quarks and Mesons in Nuclear Physics, (APCTP), Pohang, Korea, Apr. (2008).

Yamagami M. and Shimizu Y.: “Continuum and pairing

effects for rotational excitations in neutron rich nuclei”, CNS-RIKEN Joint International Symposium on Frontier of gamma-ray spectroscopy and Perspectives for Nuclear Structure Studies (Gamma08), Wako, Apr. (2008).

Ito M. and Itagaki N.: “Unified studies of structural changes and nuclear reactions in $^{10,12}\text{Be}$ ”, 1st Workshop on State of the Art in Nuclear Cluster Physics, Strasbourg I, France, May (2008).

Funaki Y., Yamada T., Horiuchi H., Roepke G., Schuck P., and Suzuki A.: “Present status of alpha-particle condensate states in self-conjugate $4n$ nuclei”, 1st Workshop on State of the Art in Nuclear Cluster Physics (SOTANCP 2008), Strasbourg, France, May (2008).

Ito M. and Itagaki N.: “Unified studies of nuclear reactions and exotic structures in ^{12}Be ”, 1st Workshop on State of the Art in Nuclear Cluster Physics (SOTANCP 2008), (Institut Interdisciplinaire Hubert Curien Department de Recherches Subatomiques), Strasbourg, France, May (2008).

Nakatsukasa T.: “Foundation and application of nuclear density functional theory”, Lecture at Department of Physics, Peking University, Beijing, China, May (2008).

Nakatsukasa T.: “Nuclear Physics: Finite quantum many-body systems with strong interaction”, Lecture at Department of Physics, Peking University, Beijing, China, May (2008).

Matsumoto T., Egami T., Ogata K., Iseri Y., and Yahiro M.: “Analyses for four-body breakup reactions of ^6He ”, 50th Anniversary Symposium on Nuclear Sizes and Shapes, (University of Surrey), Surrey, UK, June (2008).

Yoshida K.: “Low-lying excitation modes in deformed neutron-rich nuclei”, International Workshop on Nuclear Structure Physics, (China Nuclear Physics Society, Natural Science Foundation of China, Shanghai Jiao Tong University), Shanghai, China, June (2008).

Barbieri C.: “Applications of propagator theory to atoms and nuclei”, Symposium on “50 Years of Coupled Cluster Theory”, (Institute for Nuclear theory), Seattle, USA, June–July (2008).

Yamagami M. and Shimizu Y.: “Construction of pairing density functional for global description of pairing correlations”, Hokudai-TORIJIN-JUSTIPEN-EFES Workshop & JUSTIPEN-EFES-Hokudai-UNEDF Meeting, Nanae-cho, Hokkaido, July (2008).

Matsumoto T., Egami T., Ogata K., Iseri Y., Yahiro M., and Kamimura M.: “Coupled-channel analyses of ^6He breakup reactions”, Hokudai-TORIJIN-JUSTIPEN-EFES Workshop & JUSTIPEN-EFES-Hokudai-UNEDF Meeting, Sapporo, July (2008).

Yoshida K.: “Deformed quasiparticle-random-phase approximation for neutron-rich nuclei using the Skyrme density functional”, Hokudai-TORIJIN-JUSTIPEN-EFES Workshop & JUSTIPEN-EFES-Hokudai-UNEDF Meeting, Morimachi, Hokkaido Pref., July (2008).

Avogadro P., Barranco F. P., Broglia R. A., and Vigezzi

- E.: “Study of neutron vortices in the inner crust of a neutron star”, Hokudai-TORIJJIN-JUSTIPEN-EFES Workshop & JUSTIPEN-EFES-Hokudai-UNEDF Meeting, (JUSTIPEN-EFES-Hokudai-UNEDF meeting, Hokudai-EFES-TORIJJIN-JUSTIPEN meeting on Resonances and Continua), Nanae-cho, Hokkaido, July (2008).
- Barbieri C.: “Many-body correlations and exotic nuclei”, Hokudai-TORIJJIN-JUSTIPEN-EFES Workshop: Perspectives in Resonances and Continua on Nuclei and JUSTIPEN-EFES-Hokudai-UNEDF Meeting, Hakodate, July (2008).
- Ito M. and Itagaki N.: “Covalent, Ionic, and Atomic Structures in $^{10,12}\text{Be}$ ”, 4th Asia-Pacific Conference on Few-Body Problems in Physics (APFB08), (Universitas Indonesia), Depok, Indonesia, Aug. (2008).
- Nakatsukasa T.: “Time-dependent-density-functional theory”, 7th CNS-EFES Summer School (CNS-EFES08), (University of Tokyo), Wako, Aug.–Sept. (2008).
- Yoshida K.: “Self-consistent calculations for low-lying excitation modes in deformed neutron-rich nuclei using a Skyrme density functional”, 5th International Conference on Exotic Nuclei and Atomic Masses (ENAM 08), (University of Warsaw, Institute for Nuclear Studies, Swierk), Ryn, Poland, Sept. (2008).
- Ichikawa T., Hagino K., and Iwamoto A.: “Existence of OneBody Barrier Revealed in Deep SubBarrier Fusion”, Scientific Program for Fusion08, (), Chicago, USA, Sept. (2008).
- Ito M. and Itagaki N.: “Unified studies of the exotic structures of $^{10,12}\text{Be}$ and the $\alpha+^{6,8}\text{He}$ reactions”, Scientific Program for Fusion08, (Argonne National Laboratory), Chicago, USA, Sept. (2008).
- Funaki Y., Yamada T., Horiuchi H., Roepke G., Schuck P., and Suzuki A.: “ α -particle condensed state in ^{16}O ”, Japanese French Symposium :New paradigms in Nuclear Physics, Paris, France, Sept.–Oct. (2008).
- Nakatsukasa T., Inakura T., and Yabana K.: “Response functions in the continuum of deformed nuclei studied with the time-dependent density-functional calculations”, Japanese French Symposium :New paradigms in Nuclear Physics, (JSPS-CNRS), Paris, France, Sept.–Oct. (2008).
- Funaki Y., Yamada T., Horiuchi H., Roepke G., Schuck P., and Suzuki A.: “Alpha clustering and condensation in ^{16}O ”, KGU Yokohama Autumn School of Nuclear Physics, Yokohama, Oct. (2008).
- Matsumoto T., Egami T., Ogata K., Iseri Y., Yahiro M., and Kamimura M.: “Coupled-channel analyses of ^6He breakup reactions”, KGU Yokohama Autumn School of Nuclear Physics, Yokohama, Oct. (2008).
- Nakatsukasa T.: “TDDFT approach to photoabsorption in even-even nuclei”, KGU Yokohama Autumn School on Nuclear Physics, (Kanto Gakuin University), Yokohama, Oct. (2008).
- Barbieri C.: “Asymmetry dependence of spectroscopic factors”, KGU(Kanto Gakuin University) Yokohama Autumn School of Nuclear Physics, (Kanto Gakuin University (KGU)), Yokohama, Oct. (2008).
- Ito M. and Itagaki N.: “Covalent Isomeric State in ^{12}Be induced by Two-Neutron Transfers”, KGU(Kanto Gakuin University) Yokohama Autumn School of Nuclear Physics, (Kanto Gakuin University), Yokohama, Oct. (2008).
- Avogadro P., Barranco F. P., Broglia R. A., and Vigezzi E.: “Vortices in the inner crust of neutron stars”, KGU(Kanto Gakuin University) Yokohama Autumn School of Nuclear Physics, (KGU Kannai Media Center, Kanto Gakuin University (KGU)), Yokohama, Oct. (2008).
- Ito M.: “Unified description of structures and reactions based on microscopic models”, YIPQS International Molecule Workshop on “Alpha- and Dineutron-Correlation in Nuclear Many-Body Systems” Program, (Yukawa Institute of Theoretical Physics (YITP)), Kyoto, Oct. (2008).
- Barbieri C.: “Ab-initio Green’s Functions Calculations of Atoms”, 6th Japan-Italy Symposium on Heavy Ion Physics, (RICOTTI, Tokai), Tokai-mura, Ibaraki Pref., Nov. (2008).
- Avogadro P., Broglia R. A., Barranco F. P., and Vigezzi E.: “Interaction between neutron superfluid vortices and nuclei in neutron stars”, 6th Japan-Italy Symposium on Heavy-Ion Physics, Tokai-mura, Ibaraki Pref., Nov. (2008).
- Ito M.: “Exotic structures in ^{12}Be and the $\alpha+^8\text{He}$ resonant scattering”, Unbound Nuclei Workshop, (Istituto Nazionale di Fisica Nucleare, Sezione di Pisa), Pisa, Italy, Nov. (2008).
- Kondo Y., Nakamura T., Sato Y., Matsumoto T., Aoi N., Endo N., Fukuda N., Gomi T., Hashimoto Y., Ishihara M., Kawai S., Kitayama M., Kobayashi T., Matsuda Y., Matsui N., Motobayashi T., Nakabayashi T., Ogata K., Okumura T., Ong H., Onishi T., Otsu H., Sakurai H., Shimoura S., Shinohara M., Sugimoto T., Takeuchi S., Tamaki M., Togano Y., and Yanagisawa Y.: “Invariant-mass spectroscopy of neutron-rich Be isotopes”, Unbound Nuclei Workshop, (INFN), Pisa, Italy, Nov. (2008).
- Kondo Y., Nakamura T., Sato Y., Matsumoto T., Aoi N., Endo N., Fukuda N., Gomi T., Hashimoto Y., Ishihara M., Kawai S., Kitayama M., Kobayashi T., Matsuda Y., Matsui N., Motobayashi T., Nakabayashi T., Ogata K., Okumura T., Ong H., Onishi T., Otsu H., Sakurai H., Shimoura S., Shinohara M., Sugimoto T., Takeuchi S., Tamaki M., Togano Y., and Yanagisawa Y.: “Breakup reactions of ^{14}Be ”, International Conference on Interfacing Structure and Reactions at the Centre of the Atom (Kernz08), (Livermore and University of Surrey), Queenstown, The Netherlands, Dec. (2008).

- Nakatsukasa T.: “Nuclear structure at the limits of rapid rotation, Large amplitude collective motion”, 20th Chris Engelbrecht Summer School in Theoretical Physics “Nuclei and Nucleonic Systems”, (National Institute for Theoretical Physics at Stellenbosch Institute for Advanced Study), Stellenbosch, South Africa, Jan. (2009).
- Barbieri C.: “Application of propagator theory to atoms and nuclei”, 1st EMMI-EFES Workshop on Neutron-Rich Nuclei (EENEN 09), (GSI), Darmstadt, Germany, Feb. (2009).
- Ito M.: “Future studies on nuclear structures and reactions with microscopic cluster model and UCOM”, 1st EMMI-EFES Workshop on Neutron-Rich Nuclei (EENEN 09), (GSI Laboratory), Darmstadt, Germany, Feb. (2009).
- Yamagami M.: “Density functional for description of novel pairing properties in nuclei far from stability”, 3rd LACM-EFES-JUSTIPEN Workshop, (Oak Ridge National Laboratory), Oak Ridge, USA, Feb. (2009).
- Barbieri C.: “Green’s functions calculations of nuclei”, 3rd LACM-EFES-JUSTIPEN Workshop, (Oak Ridge National Laboratory), Oak Ridge, USA, Feb. (2009).
- Yoshida K.: “Skyrme QRPA calculations for collective modes of excitation in deformed neutron-rich nuclei”, 3rd LACM-EFES-JUSTIPEN Workshop, Oak Ridge, USA, Feb. (2009).
- Yoshida K.: “Low-lying monopole and quadrupole modes in deformed neutron-rich nuclei”, LIA-EFES Workshop “Low-energy collective excitations in exotic nuclei”, Caen, France, Mar. (2009).
- (国内会議)
- 櫻木弘之, 古本猛憲, 村上永理子: “Proton-nucleus optical potential with complex G-matrix ”JLM” and ”CEG””, 理研 RIBF 核反応理論研究会「不安定原子核-原子核/核子間相互作用の理論的分析へ向けて」, 和光, 2月 (2006).
- 古本猛憲, 櫻木弘之: “Microscopic proton-nucleus optical potentials based on the folding model with new complex G-matrix interactions”, 理研ワークショップ「Theoretical description of elastic scattering of proton by unstable nuclei based on two-nucleon force」, 和光, 3月 (2006).
- 古本猛憲, 櫻木弘之: “Microscopic optical potential based on the folding model with complex G-matrix interactions: JLM and CEG”, 理研ワークショップ「Elastic scattering of unstable nuclei」, 和光, 6月 (2006).
- 古本猛憲, 櫻木弘之: “複素 G 行列相互作用に基づく核反応研究 I”, 日本物理学会分科会, 奈良, 9月 (2006).
- 古本猛憲, 櫻木弘之, 山本安夫: “複素 G 行列相互作用に基づく核反応研究 II”, 日本物理学会分科会, 東京, 3月 (2007).
- 古本猛憲, 高階正彰, 櫻木弘之, 山本安夫: “複素 G 行列相互作用に基づく核反応研究 III”, 日本物理学会第 62 回年次大会, 札幌, 9月 (2007).
- 中務孝: “核構造大規模計算と密度汎関数法による数値シミュレーション”, 日本物理学会第 63 回年次大会, 東大阪, 3月 (2008).
- 飯田圭, 小濱洋央, 親松和浩: “反応断面積から探る原子核の中性子密度分布”, 日本物理学会第 63 回年次大会, 東大阪, 3月 (2008).
- 伊藤誠, 板垣直之: “ $\alpha+^8\text{He}$ 低エネルギー散乱における共鳴現象”, 日本物理学会第 63 回年次大会, (日本物理学会), 東大阪, 3月 (2008).
- 古本猛憲, 櫻木弘之, 山本安夫: “複素 G 行列有効核力を用いた核反応の研究 IV”, 日本物理学会第 63 回年次大会, 東大阪, 3月 (2008).
- 堀井香織, 古本猛憲, 櫻木弘之: “偏極陽子+ ^8B 散乱における ^8B , $^7\text{Be}+p$ 分解過程および ^7Be 核変形の効果”, 日本物理学会第 63 回年次大会, 東大阪, 3月 (2008).
- 中務孝: “Real-time representation of nuclear dynamics”, 東京工業大学原子核理論研究室セミナー, (東京工業大学), 東京, 5月 (2008).
- 吉田賢市: “Pairing and continuum effects on low-lying excitation modes in deformed neutron-rich nuclei”, 筑波大学原子核理論研究室セミナー, つくば, 5月 (2008).
- 伊藤誠: “ ^{12}Be の連続エネルギー状態の構造と反応”, 京都大学基礎物理学研究所研究会「原子核の分子的構造と低エネルギー反応」, (基礎物理学研究所), 京都, 7月 (2008).
- 伊藤誠: “中重核及び不安定核における敷居値則と分子的構造”, 京都大学基礎物理学研究所研究会「原子核の分子的構造と低エネルギー反応」, (基礎物理学研究所), 京都, 7月 (2008).
- 吉田賢市: “Low-lying excitation modes in deformed neutron-rich nuclei”, Workshop on “Frontier in Unstable Nuclear Physics”, (北海道大学), 札幌, 7月 (2008).
- 近藤洋介, 中村隆司, 佐藤義輝, 松本琢磨, 青井孝, 遠藤奈津美, 福田直樹, 五味朋子, 橋本佳子, 石原正泰, 河合祥子, 來山益久, 小林俊雄, 松田洋平, 松井信行, 本林透, 中林彩, 緒方一介, 奥村俊文, 王恵仁, 大西健夫, 大津秀暁, 櫻井博儀, 下浦享, 篠原摩有子, 杉本崇, 武内聡, 玉城充, 梶野泰宏, 柳澤善行: “ $^{18,19}\text{C}$ の一中性子分離反応”, RCNP 研究会「RCNP における不安定核の研究: RCNP ビームラインの可能性を探る」, (大阪大学核物理研究センター), 大阪, 8月 (2008).
- 伊藤誠, 板垣直之: “ ^{12}Be における単極遷移”, 日本物理学会 2008 年秋季大会, (日本物理学会), 山形, 9月 (2008).
- 山上雅之: “ダイニュートロン相関の探索へむけて”, RIBF ミニワークショップ「ダイニュートロン相関をみる」, (RIKEN Nishina Center), 和光, 9月 (2008).
- 小濱洋央, 飯田圭, 親松和浩: “不安定核反応へのくろたま模型適用可能性”, 日本物理学会 2008 年秋季大会, 山形, 9月 (2008).
- Barbieri C.: “Applications of self-consistent Green’s function theory to nuclear response”, 日本物理学会 2008 年秋季大会, (日本物理学会), 山形, 9月 (2008).
- 松本琢磨, 江上智晃, 緒方一介, 井岸康統, 八尋正信, 上村正康: “中性子過剰核の分解反応断面積の計算”, 日本物理学会 2008 年秋季大会, 盛岡, 9月 (2008).
- 吉田賢市, Nguyen V.: “Deformed QRPA calculations using a Skyrme density functional”, 日本物理学会 2008 年秋季大会, (日本物理学会), 山形, 9月 (2008).
- 小笠原弘道, 吉田賢市, 水鳥正二郎, 山上雅之, 松柳研一: “ ^{44}Ti の超変形状態に伴う 8 重極振動モードの非軸対称変

- 形依存性”, 日本物理学会 2008 年秋季大会, (日本物理学会), 山形, 9 月 (2008).
- 古本猛憲, 櫻木弘之, 山本安夫: “複素 G 行列有効核力を用いた Li-isotopes - 原子核反応の解析”, 日本物理学会 2008 年秋季大会, 山形, 9 月 (2008).
- 中務孝: “Density functional calculation of E1 strength distribution in even-even nuclei”, 第 1 回研究戦略ワークショップ「核物理から見た宇宙: r プロセスの新時代に向かって」, 和光, 9 月 (2008).
- 吉田賢市: “中性子過剰不安定核に対する量子多体計算”, 次世代スーパーコンピューティング・シンポジウム 2008, 東京, 9 月 (2008).
- 古本猛憲, 櫻木弘之, 山本安夫: “ Σ -nucleus potential based on folding model with complex G-matrix interaction”, 文科省科研費補助金特定領域研究「ストレンジネスで探るクォーク多体系」研究会 2008, 山形, 9 月 (2008).
- 山上雅之, 清水良文: “高アイソスピン核の記述を目指した対相関密度汎関数の拡張”, 日本物理学会 2008 年秋季大会, (日本物理学会), 山形, 10 月 (2008).
- 吉田賢市: “対相関と変形相関の与える中性子過剰不安定核の集団運動への効果”, 千葉大学原子核理論研究室セミナー, 千葉, 10 月 (2008).
- 伊藤誠, 板垣直之: “軽い中性子過剰核の構造と反応の統一的研究”, 北大核物理の歴史と展望, (北海道大学), 札幌, 11 月 (2008).
- 伊藤誠: “ $\alpha + {}^8\text{He}$ 共鳴散乱と ${}^{12}\text{Be}$ の高励起状態”, 第 5 回停止・低速不安定核ビームを用いた核分光研究会, (大阪大学), 豊中, 12 月 (2008).
- 伊藤誠: “軽い中性子過剰核の構造と反応の統一的研究”, 「少数粒子系物理の現状と今後の展望」研究会, (大阪大学核物理研究センター), 茨木, 12 月 (2008).
- 中務孝: “密度汎関数法による核構造計算”, ワークショップ「計算科学による素粒子・原子核・宇宙の融合」, (筑波大学), つくば, 12 月 (2008).
- 山上雅之: “Density functional for description of novel pairing properties in nuclei far from beta-stability”, Aizu meeting 2009 on Spin Excitations and Exotic Degree of Freedom in Nuclei and Nuclear Matter, (会津大学), 会津若松, 2 月 (2009).
- 堀井香織, 土岐博, 櫻木弘之, 高階正彰, 谷口億宇, 古本猛憲: “内部構造を考慮した ${}^8\text{Be} + \gamma$ の陽子および ${}^{12}\text{C}$ との弾性散乱”, 日本物理学会第 64 回年次大会, 東京, 3 月 (2009).