放射線発生装置使用計画書〔一般用〕 Accelerator Use Planning Sheet〔for general use〕

太枠内(必要に応じて2重枠内)および2枚目以降を記入し、仁科加速器研究センター・RIBF ユーザーズオフィスへご提出下さい。

Please fill out the parts surrounded by thick solid lines and double thin lines, if necessary, and the following pages, and submit them to Nishina Center RIBF Users Office.

submit them to Nishina Center RIBF Users Office.								
実験課題番号 Experiment number					提出日 Date of submission			
				202	F YY	月 MM	∃ DD	
実験課題			<u>.</u>					
Experiment tit	tle							
	最終段の加速器名	サロノキャヤ ユ		最大ビーク	ム電流 1)	1.8) <u>1</u> 2]	
使用する加速器 Accelerator to be used	Name of final stage	加速粒子 Particle	エネルギー	Maximun			ムポート on beam port	
	accelerator	Farticie	Energy	intensity 1	needed1)	irradiatio	n beam port	
	\square RILAC \square RILAC2			1	particle nA			
to be used	$\square AVF \qquad \square RRC$			□可能な限	り十キノ			
	\Box fRC \Box IRC \Box SF	RC	MeV/					
実		毛名		•	•	•		
Experiment spokesperson* Full name [in print]							-	
* 管理区域で実験		理研の所属 Affiliated laborat	ory at RIKEN	1				
	らが字生は原則不可)。 :	型研の身分	ory at itilizin	-				
	name of the person who	Position at RIKE	N					
-	-	埋研の内線	TDM	•				
area. (In princip	le, students at the main	Extension at RIK e-mail	.EN	-				
amnation are exc	:luded.)	man		 				
	okesperson at the time (sal.	1				
	en different from the abo							
	世研職員または研究連携従					riment spo	kesperson is	
	IKEN or a member of P 務先(連絡先)名称	artner Institutioi	n, please leave th	is section blan	k.			
	伤尤(理稻尤)名称 a of the spokesperson							
電話番号 Teleph								
理研内連絡担当	+V. d. d.							
Ligison person i	RIKEN**	me [in print]						
** 理研に常勤のカ	放射線業務従 所属 Labora	ory					-	
事者のこと。A ra	diation 内線 Extensi	on						
worker employed RIKEN	e-mail							
	<u>:</u> 連絡担当者の他に連絡可能な方 。 If there is another person	:: がいる場合 氏名 F u	ıll name:	所属	Laboratory	<i>J</i> ;		
other than spokes	person or liaison person wl	so com hol				'		
contacted, please gi	ve his/her name.	内線 Ex	tension:	e-mai			- L HH - \	
割り当てられたビーム時間、あるいは加速粒子などについての 第 2 希望、その他特記事項があれば記入して下さい。Desired 日 days (1 日未満は時間で記入 Write hours if less than a day.: 時間 hours)								
	ent and/or any other particula 禹長承認	's if any						
Approval of	the head of the 2	02 年	月 日 所	属長				
	ratory at RIKEN.	T能か具土強度な系質	カナス担合け口にチ	ーッカーアノだる	(l.) Ento	the maxim	um boom	
1) 必要な最大電流をご記入ください。なお可能な最大強度を希望する場合は□にチェックしてください。 Enter the maximum beam current needed. Put a check if you want to have beam intensity as high as possible.								
予定実験日時(記入不要)Scheduled be	am time (Leave a	as blank.):					
from 4	FYY 月 MM	日 DD 時 T	Гіте to	年 YY 月	MM	□ DD _	時 Time	
注意事項 Precau								
(安全審査委員会が許可する電流値:pnA)								
管理区域責任者 放射線保安責任者 放射線取扱主任者 承認印を押捺することで承認書に代える。						5 .		
			安全	全管理部長承認				
			1	al of the head of Sa				
			Ma	nagement Division				

者固有の物質**(Faraday cup, Slit弩	等ビームラインに常時固定され	たものを除き、散乱
ドて記入してください。)Your own	matters** to be irradiated	l by the primary
	ors, except for the objects fi	xed alongside the
構成元素Constituent elements	厚さ Thickness, [g/cm²]	形態 Form*
wing estagories		
	(specify the name in the table), A	该体liquid、 気体gas、 生
ne standard detectors/devices. The list	of the standard detectors/device	
	by scattering of the above	matter
	ke to prevent contamination. When	the space below is not
)
ill you use a secondary beam*?		
喚もしくは荷電状態の変化を生じさせ、その運動 ι produced as a result of nuclear transform	量をほぼ保ったまま分離して使用す ation or changed its charge state	るビームをいいます by the primary beam
與もしくは荷電状態の変化を生じさせ、その運動 I produced as a result of nuclear transform nomentum mostly kept intact.	ation or changed its charge state	るビームをいいます by the primary beam
與もしくは荷電状態の変化を生じさせ、その運動 a produced as a result of nuclear transform nomentum mostly kept intact. I, or -III) is used.) e of the secondary beam (nation or changed its charge state $No \rightarrow Skip to 4.$	by the primary beam
與もしくは荷電状態の変化を生じさせ、その運動 n produced as a result of nuclear transform nomentum mostly kept intact. I, or -III) is used.) ロ of the secondary beam(ation or changed its charge state No →Skip to 4. to be irradiated by the sec	by the primary beam) condary beam
與もしくは荷電状態の変化を生じさせ、その運動 a produced as a result of nuclear transform nomentum mostly kept intact. I, or -III) is used.) e of the secondary beam (nation or changed its charge state $No \rightarrow Skip to 4.$	by the primary beam
與もしくは荷電状態の変化を生じさせ、その運動 n produced as a result of nuclear transform nomentum mostly kept intact. I, or -III) is used.) ロ of the secondary beam(ation or changed its charge state No →Skip to 4. to be irradiated by the sec	by the primary beam) condary beam
與もしくは荷電状態の変化を生じさせ、その運動 n produced as a result of nuclear transform nomentum mostly kept intact. I, or -III) is used.) ロ of the secondary beam(ation or changed its charge state No →Skip to 4. to be irradiated by the sec	by the primary beam) condary beam
與もしくは荷電状態の変化を生じさせ、その運動 n produced as a result of nuclear transform nomentum mostly kept intact. I, or -III) is used.) ロ of the secondary beam(ation or changed its charge state No →Skip to 4. to be irradiated by the sec 厚さ Thickness, [g/cm²]	by the primary beam) condary beam 形態 Form*
興もしくは荷電状態の変化を生じさせ、その運動 produced as a result of nuclear transform momentum mostly kept intact. I, or -III) is used.) e of the secondary beam (験者固有の物質 Your own matters 構成元素Constituent elements wing categories. その他の固体(表に明示すること)other solid	ation or changed its charge state No →Skip to 4. to be irradiated by the sec 厚さ Thickness, [g/cm²] (specify the name in the table)、※	by the primary beam) condary beam 形態 Form*
與もしくは荷電状態の変化を生じさせ、その運動 produced as a result of nuclear transform momentum mostly kept intact. I, or -III) is used.) e of the secondary beam (験者固有の物質 Your own matters 構成元素Constituent elements wing categories.	ation or changed its charge state No →Skip to 4. to be irradiated by the sec 厚さ Thickness, [g/cm²] (specify the name in the table)、液	by the primary beam) condary beam 形態 Form*
	者固有の物質**(Faraday cup, Slit等で記入してください。) Your own ruch as scattering foils or collimate y cup, slits, etc) 構成元素Constituent elements を 表の他の固体(表に明示すること) other solid を /標準デバイス以外に実験者が用意した検出 の まなれば detectory cup, slits, etc) を まなれば detectory cup, slits を で まなれば detectory を まなれば dete	者固有の物質**(Faraday cup, Slit等ビームラインに常時固定され べて記入してください。) Your own matters** to be irradiated uch as scattering foils or collimators, except for the objects fi y cup, slits, etc) 構成元素Constituent elements 厚さ Thickness, [g/cm²] wing categories. その他の固体(表に明示すること) other solid (specify the name in the table)、 液 器/標準デバイス以外に実験者が用意した検出器や物質を意味します。標準検出器 3階/procedure/documents/standard_detectors.pdf を参照して下さい。 "Your on the standard detectors/devices. The list of the standard detectors/device procedure/documents/standard_detectors.pdf. 能性 Possibility of contamination by scattering of the above to 3. Yesとし、対策を下記に記入して下さい。書ききれない場合は別紙を添付して下さい。If these" and state below the measures you will take to prevent contamination. Where

	ng the nuclides obtained by stopping the secondary
	rimary beam which are transported in an airtight
equipment? (Use of "extracted beam")	
☐Yes (Check if KISS or MRTOF is used.)	\square No \rightarrow Skip to 6.
5.1 使用核種Nuclides to be used (5.2 予想使用量 Estimated quantity to be used ()
5.3 使用する装置 Equipment to be used with the nuclid	log (
「引出ビーム」の使用については非密封RIの使用計画書は不要です。 Planning Sheet" need not be submitted.	When "extracted beam" is used, the "Unsealed-Radioisotope Use
6. 実験者固有の照射物は有意に放射化する場合があります。 搬出には特に注意してください。 Irradiated materials b the dose rate after the experiment, and be very car controlled area. □了解しました Yes, I will.	elonging to you may become radioactive. Measure
7. α放射体が発生する可能性 Is there any possibility of s	ome alpha emitter being produced?
7. α 放射体が発生する可能性 is there any possibility of s □Yes □No →Skip to 8.	ome alpha emitter being produced?
7.1汚染検査の方法 How will you detect eventual contar	nination?
□スミア試験(ふき取り試験)を行う by wipe test	
□その他の検出法 by some other method ()
8. 終了後の実験者固有の照射物等について What will you after the experiment is over?	a do with the irradiated matters belonging to you
2., 3.2に記載されたものは表に必ず記入してください。 You need to me	
品名Name	処置Management*
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	$\Box A \Box B \Box C \Box D \Box E$
* A: 線量管理し、放射線管理区域内で保管するもの(一時)	
stored in controlled area	
B: ビームライン所定位置にてそのまま保管するもの Matte	rs that will be left in the beam line
C: 放射性廃棄物として処分するもの Matters that will be	
D: 有意に放射化していないことが確認されると思われる	Matters that will be verified of not being
activated to a significant level E: その他(以下に、詳細を記載して下さい。) others (Desc	
E・CV/IE(以上で、中海で記載して上さい。) Others (Desc	wibe details below)
	ribe details below)
	ribe details below)
	ribe details below)
9. 法で規制された密封線源を使用する場合は密封RIの使用 regulated by the law, a Sealed-Radioisotope Use Plan □了解しました I understand.	計画書が必要です。 If you use sealed radioisotopes
regulated by the law, a Sealed-Radioisotope Use Planロア解しました I understand.	計画書が必要です。If you use sealed radioisotopes uning Sheet should be submitted.
regulated by the law, a Sealed-Radioisotope Use Plan □了解しました I understand. 10. 生成したRIを使用しますか Will you use produced radio (生成したRIを[停止した状態で]気密の装置から取り出して使用する場	計画書が必要です。 If you use sealed radioisotopes uning Sheet should be submitted. oisotopes?
regulated by the law, a Sealed-Radioisotope Use Plan □了解しました I understand. 10. 生成したRIを使用しますか Will you use produced radio (生成したRIを[停止した状態で]気密の装置から取り出して使用する場 radioisotope from airtight equipment in a halted state, it is constitution of the cons	計画書が必要です。 If you use sealed radioisotopes uning Sheet should be submitted. oisotopes?
regulated by the law, a Sealed-Radioisotope Use Plan □了解しました I understand. 10. 生成したRIを使用しますか Will you use produced radio (生成したRIを(停止した状態で)気密の装置から取り出して使用する場ではいるではいる。 □Yes □No →Skip to 11.	計画書が必要です。 If you use sealed radioisotopes uning Sheet should be submitted. oisotopes?
regulated by the law, a Sealed-Radioisotope Use Plan □了解しました I understand. 10. 生成したRIを使用しますか Will you use produced radio (生成したRIを[停止した状態で]気密の装置から取り出して使用する場 radioisotope from airtight equipment in a halted state, it is constitution of the cons	計画書が必要です。 If you use sealed radioisotopes uning Sheet should be submitted. oisotopes?
regulated by the law, a Sealed-Radioisotope Use Plan □了解しました I understand. 10. 生成したRIを使用しますか Will you use produced radioisotope from airtight equipment in a halted state, it is consulted by a substitution □ Yes □ No → Skip to 11. 10.1 目的核種 Nuclides you want to use (10.2 予想生成量 Estimated production quantity (非密封RIの使用計画書、RIの入手申請書が必要です	計画書が必要です。 If you use sealed radioisotopes uning Sheet should be submitted. oisotopes? active and in the produced sidered as using unsealed radioisotope.
regulated by the law, a Sealed-Radioisotope Use Plan □了解しました I understand. 10. 生成したRIを使用しますか Will you use produced radioisotope from airtight equipment in a halted state, it is constrained by a substitution ロソes ロNo →Skip to 11. 10.1 目的核種 Nuclides you want to use (10.2 予想生成量 Estimated production quantity (非密封RIの使用計画書、RIの入手申請書が必要です"Unsealed-Radioisotope Use Planning Sheet" and "Radioisotope" unsealed "Radioisotope" and "Radioisotope" unsealed "Radioisoto	計画書が必要です。If you use sealed radioisotopes aning Sheet should be submitted. oisotopes? 場合は非密封RIの使用になります。If you take out the produced sidered as using unsealed radioisotope.
regulated by the law, a Sealed-Radioisotope Use Plan □了解しました I understand. 10. 生成したRIを使用しますか Will you use produced radioisotope from airtight equipment in a halted state, it is consulted by a substitution □ Yes □ No → Skip to 11. 10.1 目的核種 Nuclides you want to use (10.2 予想生成量 Estimated production quantity (非密封RIの使用計画書、RIの入手申請書が必要です	計画書が必要です。 If you use sealed radioisotopes uning Sheet should be submitted. oisotopes? active and a state of the produced sidered as using unsealed radioisotope. ppe Acquisition Sheet" must be submitted. cination ()
regulated by the law, a Sealed-Radioisotope Use Plan □了解しました I understand. 10. 生成したRIを使用しますか Will you use produced radioisotope from airtight equipment in a halted state, it is constrained by a production use 「No →Skip to 11. 10.1 目的核種 Nuclides you want to use (10.2 予想生成量 Estimated production quantity (非密封RIの使用計画書、RIの入手申請書が必要です "Unsealed-Radioisotope Use Planning Sheet" and "Radioisototototo" 使用場所または譲渡先 Place of use or transfer dest 譲渡/運搬承認申請書が必要な場合があります A Transfer and Trans	計画書が必要です。If you use sealed radioisotopes uning Sheet should be submitted. oisotopes? 場合は非密封RIの使用になります。If you take out the produced sidered as using unsealed radioisotope.) ope Acquisition Sheet" must be submitted. cination () nsportation Approval Application Form may be needed.
regulated by the law, a Sealed-Radioisotope Use Plan □了解しました I understand. 10. 生成したRIを使用しますか Will you use produced radioisotope from airtight equipment in a halted state, it is constrained by a state of the production of the	計画書が必要です。If you use sealed radioisotopes uning Sheet should be submitted. oisotopes? 場合は非密封RIの使用になります。If you take out the produced sidered as using unsealed radioisotope.) ope Acquisition Sheet" must be submitted. cination () nsportation Approval Application Form may be needed. しますか(加速粒子に使用する場合を除く)
regulated by the law, a Sealed-Radioisotope Use Plan □了解しました I understand. 10. 生成したRIを使用しますか Will you use produced radioisotope from airtight equipment in a halted state, it is constructed by a state of the production of the production quantity (10.1 目的核種 Nuclides you want to use (10.2 予想生成量 Estimated production quantity (10.2 予想生成量 Estimated production quantity (10.3 使用計画書、RIの入手申請書が必要です "Unsealed-Radioisotope Use Planning Sheet" and "Radioisotor 10.3 使用場所または譲渡先 Place of use or transfer dest 譲渡/運搬承認申請書が必要な場合があります A Transfer and Transfer	計画書が必要です。If you use sealed radioisotopes uning Sheet should be submitted. oisotopes? 場合は非密封RIの使用になります。If you take out the produced sidered as using unsealed radioisotope.) ope Acquisition Sheet" must be submitted. cination () nsportation Approval Application Form may be needed. しますか(加速粒子に使用する場合を除く)
regulated by the law, a Sealed-Radioisotope Use Plan □了解しました I understand. 10. 生成したRIを使用しますか Will you use produced radioisotope from airtight equipment in a halted state, it is constrained by a state of the production of the	計画書が必要です。If you use sealed radioisotopes uning Sheet should be submitted. oisotopes? 場合は非密封RIの使用になります。If you take out the produced sidered as using unsealed radioisotope.) ope Acquisition Sheet" must be submitted. cination () nsportation Approval Application Form may be needed. しますか(加速粒子に使用する場合を除く)
regulated by the law, a Sealed-Radioisotope Use Plan □了解しました I understand. 10. 生成したRIを使用しますか Will you use produced radioisotope from airtight equipment in a halted state, it is consulted by a subject of the law of th	計画書が必要です。If you use sealed radioisotopes uning Sheet should be submitted. oisotopes? act 非密封RIの使用になります。If you take out the produced sidered as using unsealed radioisotope.) ope Acquisition Sheet" must be submitted. cination () nsportation Approval Application Form may be needed. しますか(加速粒子に使用する場合を除く) nel materials like U/Th as a target for example? , [Bq] / nuclear fuel: , [mg])

12. 高圧ガス/液化ガスについて high-pressure gas or liquefied gas

 \square No \rightarrow Skip to 13.

 $\square Yes$

12.1	高圧ガスまたは液化ガスを	使用し	ますか	Will yo	u use high	n-pressure	gas or liquefied gas	3?

		1			
使用場所 Place	ガスの種類 Name of gas	用途* Purpose	性質** Its property	使用総量 Total quantity to be used	処理法/排気法*** Disposal or evacuation procedure after its use
4 よらいた ボー	古水井大は	t 1 1 C-11:	√Δ ±π±± 1		

ターゲット target [2.1を詳しく記入して下さい Specify at 2.1 the measures to prevent contamination.], その他 etc.

 13. 毒物、劇物、またはアセトン、トルエン、ベンゼンの有害物質を使用しますか Will you use other haz substances? □Yes □No →Skip to 14. 13.1 その種類と用途 Their names and the purpose of use (13.2 使用後の処理法 Disposal procedure after their use (ardous))
14. クラス4、クラス3B、クラス3R(400nm~700nmの波長域外の機器に限る)のレーザー機器を使いますか Wuse Class 4, Class 3B or Class 3R (wave length outside 400nm~700nm) laser equipment? □Yes 使用開始前に安全業務室長に届けを出し、安全の確認を受けることが必要です。Application should be submitted to Management Group, and safety confirmation is necessary before use. □No	
15. ヒトを対象とする研究、あるいは実験動物、遺伝子組換え生物若しくは微生物等を用いる研究がこの実験に行すか Does this experiment include research involving human subjects, or using experimental at living modified organisms, microorganisms or similar materials?	
□No →Skip to 16. 15.1 参加者に研究連携従事者、外部利用者が含まれますか Are members of Partner Institution of Independent Users included in the participants?	RIBF
□ Yes この実験はできません。研究連携従事者または外部利用者の方の身分変更が必要です。This experiment is not Members of Partner Institution or RIBF Independent Users must change their status at RIKEN. □ No	allowed.

16. 上記以外で特記事項や危険な点はありますか Are there any other hazards or important matters that require attention other than the ones mentioned above?

 \square Yes \square No \rightarrow Skip to 17.

- 16.1 その内容を以下または別紙に記載して下さい If yes, specify below or on a separate sheet.
- 17. 管理区域内で作業する予定の実験参加者リストをエクセルファイル (Participant list.xlsx) で同時に提出してください。 Submit a list of experiment participants who will be working in the radiation controlled area in an excel file (Participant list.xlsx) along with this form.

□了解しました Yes, I will.

18. 実験代表者の施設利用者及び放射線業務従事者の登録が完了するまでは、この使用計画書は承認されません。 実験開始時までに完了しない場合は実験がキャンセルされますのでご注意ください。他の参加者を含め、当該年度が未登録の方の申請書類は遅くとも10日前までに提出ください。 The approval process of this Planning Sheet will not be complete without the Experiment Spokesperson's registration as RIBF User and RIKEN Radiation Worker. Therefore, if the registration is not finished by the time the experiment is scheduled to start, the experiment will be canceled. Submit registration forms for all the participants who are not registered for the corresponding fiscal year, at least 10 days before the experiment starts.

□了解しました Yes, I will.

カウンターガス counter gas, 真空槽充填 vacuum chamber filling, 冷却材 coolant,

^{**} 有毒 toxic, 窒息性 asphyxiating, 可燃性 inflammable, その他 etc.

^{***} 回収 collection, 排気口に接続 evacuation through an exhaust duct, 室内に放出 release in the room, その他 etc.

19. 上記の記載内容を変更する場合は「使用計画書一部変更願」の提出が必要です。内容によっては承認に10日以上要します。ただしエネルギー、ビーム電流の下方修正については提出不要です。

実験の前にはビーム強度等について、加速器オペレータと十分打合せをしてください。

If you want to change any matters specified in this form, you should submit a "Request Form for Modification of Accelerator Use Planning Sheet" except for the case when you lower beam energy or intensity. Depending on the content of the "Request Form", it may require more than 10 days for approval.

You are expected to make necessary arrangements with the accelerator operators regarding beam intensity, etc.

□了解しました Yes, I will.

20. 管理区域に立ち入る方は、年度ごとに行われる仁科センターの再教育を受講する必要があります。受講しないと管理区域に入れません。下記のURLにおいて受講できます。実験代表者は全員が受講するようご配慮ください。

Any person who will be working in the radiation controlled area is required to complete a retraining program provided by the Nishina Center for each fiscal year. One cannot enter the area without completing it. The program is offered at the following URL. The spokesperson should make sure that all the participants finish the retraining prior to the experiment.

URL: https://activelearning.jp/riken/el/html/public/login.html

ログインID: 姓のローマ字の先頭3文字(大文字)+生年月日(YYYYMMDD)です。

1890年12月6日生まれの仁科芳雄では"NIS18901206"となります。

ローマ字変換の注意: "大西"→"OON"、"し"→"SHI"、"ち"→"CHI"、"つ"→"TSU"、"ん"→"NN"

パスワード: "RIBF" + ルミネスバッジ(個人線量計)の表面左、上から3行目の数字の最初の"0"を省いた数字です。 バッジの数字が"01234"の場合、パスワードは"RIBF1234"です。

Login ID: First 3 characters (in capital) of your name + date of birth (YYYYMMDD)

For example; For "Yoshio NISHINA", born on December 6, 1890, the ID is "NIS18901206". While your family name is usually used for "Your name", it depends on how you wrote on the application form for radiation workers at RIKEN. If you do not remember which name you are registered under, please try with both family and given names.

Password: On your Luminess badge (personal dosimeter issued by RIKEN), find the digits in the 3rd line on the left side. "RIBF" + the digits without the first "0" are your password. For example, if the digits on your badge are "01234", then your password is "RIBF1234".

To change the text on the screen into English, click the "down arrow button" at the upper right corner, and select the bottom option written in two KANJI characters.

If you have any difficulty, please contact the Safety Management Group at "nishina-safety@riken.jp". □了解しました Yes, I will.