## CONTENTS

Page

| AVURE & HIGHLIGHTS OF THE YEAR   |       |
|--|-------|
| Extending the Nuclear Chart, Expanding our Wisdom<br>H. Suzuki for the BigRIPS team  | i     |
| RI beam production at BigRIPS since its commssioning in 2007<br>N. Inabe <i>et al.</i>   | iv    |
| Identification and separation of radioactive isotope beams by the BigRIPS separator at the RIKEN RI Beam Factory<br>N. Fukuda <i>et al.</i>  | v     |
| Production cross section measurements of radioactive isotopes by BigRIPS separator at RIKEN RI Beam Factory<br>H. Suzuki <i>et al.</i>   | vi    |
| Comparison of production yields of neutron-rich nuclei between Be and W targets by in-flight fission of <sup>238</sup> U beam ····<br>D. Murai <i>et al.</i>   | vii   |
| Production rates of new neutron-rich rare-earth nuclei via in-flight fission of a 345 MeV/nucleon <sup>238</sup> U beam<br>D. Kameda <i>et al.</i>   | viii  |
| Evidence for a new nuclear 'magic number' in <sup>54</sup> Ca<br>D. Steppenbeck <i>et al.</i>  | ix    |
| First physics data of the J-PARC E15 Experiment<br>Y. Sada <i>et al.</i>   | х     |
| Measurement of the <sup>248</sup> Cm + <sup>48</sup> Ca fusion reaction products at RIKEN GARIS  | xi    |
| Operational test of micro-oven for <sup>48</sup> Ca beam<br>K. Ozeki <i>et al.</i>   | xii   |
| Current status of RI beam production at electron-beam-driven RI separator for SCRIT (ERIS)<br>T. Ohnishi <i>et al.</i>   | xiii  |
| In-beam validation of the MINOS device at HIMAC<br>C. Santamaria <i>et al.</i>   | xiv   |
| Seniority isomer in <sup>128</sup> Pd ······<br>H. Watanabe <i>et al.</i>  | XV    |
| Evolution of collectivity in neutron-rich Ru nuclei  | xvi   |
| Isomer spectroscopy of neutron-rich Nd isotopes<br>Mn. Tanaka <i>et al.</i>  | xvii  |
| Proton scattering of <sup>16</sup> C at 300 MeV/nucleon<br>S. Terashima <i>et al.</i>  | xviii |
| Structure of <sup>19</sup> C studied by one-neutron knockout at SAMURAI<br>J.W. Hwang <i>et al.</i>  | xix   |
| Exploration of cluster structure on neutron rich nuclei <sup>16</sup> C with SAMURAI magnetic spectrometer   | XX    |
| Structure study of <sup>10</sup> He by <sup>11</sup> Li(d, <sup>3</sup> He) transfer reaction<br>A. Matta <i>et al.</i>  | xxi   |
| New isotope candidates, <sup>215</sup> U and <sup>216</sup> U<br>Y. Wakabayashi <i>et al.</i>  | xxii  |
| Production of <sup>262</sup> Db in the <sup>248</sup> Cm( <sup>19</sup> F,5 <i>n</i> ) <sup>262</sup> Db reaction and decay properties of <sup>262</sup> Db and <sup>258</sup> Lr $\cdots$ H. Haba <i>et al.</i> | xxiii |
| Beta-decay properties of neutron-rich Zr isotopes studied by the Skyrme enegy-density functional method<br>K. Yoshida  | xxiv  |
| Heavy-quark measurement using distance of closest approach analysis  | XXV   |

| Search for a dark photon in $\pi^0$ Dalitz decays by PHENIX experiment at RHIC<br>Y. Akiba <i>et al.</i>  | xxvi  |
|---|-------|
| Primordial spectra from sudden turning trajectory<br>T. Noumi and M. Yamaguchi  | xxvii |
| Sudden termination of high-energy $\gamma$ rays detected from thunderclouds before lightning $\cdots$ H. Tsuchiya <i>et al.</i>   |       |
| μSR study of Al-Mg, Al-Si and Al-Mg-Si alloys<br>K. Matsuda <i>et al.</i>   | xxix  |
| Investigation of the magnetic states in new spin-tetrahedral $K_4Cu_4Cl_{10}O\cdots$ X.G. Zheng <i>et al.</i>   | XXX   |
| I. PREFACE  | 1     |
| II. RESEARCH ACTIVITIES I (Nuclear, Particle and Astro-Physics)   |       |
| 1. Nuclear Physics  |       |
| Search for isomers in neutron-rich Cs isotopes<br>A. Yagi <i>et al.</i>   | 3     |
| Decay spectroscopy in the neutron-rich A~140 region beyond the doubly-magic <sup>132</sup> Sn   |       |
| Lifetime measurements of excited states in <sup>102, 104</sup> Zr with a LaBr <sub>3</sub> (Ce) array   |       |
| Progress of study of $\beta$ -decay of neutron-rich nuclei with $Z \sim 60$<br>J. Wu <i>et al.</i>  |       |
| Study of the superallowed $\beta$ -decay of <sup>100</sup> Sn · · · · · D. Lubos <i>et al.</i>  |       |
| Decay spectroscopy around <sup>78</sup> Ni with the EURICA setup<br>G. Benzoni <i>et al.</i>  | 8     |
| Structure of neutron-rich Zr and Mo isotopes<br>T. Sumikama <i>et al.</i>   | 9     |
| Search for K-isomers in neutron-rich Z≈60 isotopes  |       |
| Isomer study on neutron-rich Pm isotopes using EURICA at RIBF<br>R. Yokoyama <i>et al.</i>  | 11    |
| Beta-delayed proton emission of <sup>73</sup> Sr and effective lifetime of the rp-process waiting point <sup>72</sup> Kr in X-ray bursts environmentL. Sinclair <i>et al.</i>               | 12    |
| Commissioning of a LaBr <sub>3</sub> (Ce) array with EURICA at RIBF<br>Z. Patel <i>et al.</i>   | 13    |
| Deuteron Analyzing Powers for <i>dp</i> elastic scattering at 250–294 MeV/nucleon and three-nucleon force   | 14    |
| <ul> <li>Shallow and diffuse spin-orbit potential for proton elastic scattering from neutron-rich helium isotopes at 71</li> <li>MeV/nucleon</li> <li>S. Sakaguchi <i>et al.</i></li> </ul> | 15    |
| Study of proton and neutron density distributions observed via proton elastic scattering at 200 and 300 MeV<br>J. Zenihiro <i>et al.</i>  | 16    |
| Spin-isospin response of the neutron-rich nucleus <sup>8</sup> He via the $(p,n)$ reaction in inverse kinematics<br>M. Kobayashi <i>et al.</i>  | 17    |
| New type of spectroscopy via heavy-ion double charge exchange $({}^{12}C, {}^{12}Be(0_2^+))$ reaction $\cdots$ M. Takaki <i>et al.</i>  | 18    |
| Study of spin-isospin responses via exothermic charge exchange reaction ( <sup>8</sup> He, <sup>8</sup> Li)   | 19    |
| Spectroscopy of single-particle states in oxygen isotopes via ${}^{A}O(\vec{p},pN)$ reaction with polarized protons<br>S. Kawase <i>et al.</i>  | 20    |

| Missing-mass spectroscopy of the 4n system via exothermic double-charge exchange reaction at high beam counting   |
|---|
| rates<br>K. Kisamori <i>et al.</i>  |
| Parity-transfer ( <sup>16</sup> O, <sup>16</sup> F) reaction for study of pionic 0 <sup>-</sup> mode ······<br>M. Dozono <i>et al.</i>                                |
| Missing mass spectroscopy on carbon isotopes beyond proton drip-line<br>T. Miyazaki <i>et al.</i>   |
| Design of experiment for search of <sup>10</sup> N resonances with resonant scattering of <sup>9</sup> C off polarized proton<br>E. Milman <i>et al.</i>              |
| Measurement of alpha elastic scattering on <sup>15</sup> O ······<br>A. Kim <i>et al.</i>   |
| Study of unbound oxygen isotopes <sup>25</sup> O and <sup>26</sup> O using SAMURAI.<br>Y. Kondo <i>et al.</i>   |
| Two-neutron removal reaction from <sup>22</sup> C<br>N. Kobayashi <i>et al.</i>   |
| One-neutron knockout reaction of <sup>17</sup> C on a hydrogen target at 70 MeV/nucleon ······<br>Y. Satou <i>et al.</i>  |
| Invariant mass spectroscopy of <sup>17</sup> C at SAMURAI<br>S. Kim <i>et al.</i>   |
| Structure of <sup>18</sup> B<br>S. Leblond <i>et al.</i>  |
| Energy dependence of $\pi^-$ differential cross section in <sup>28</sup> Si + In with beam energies of 400, 600 and 800<br>M. Sako <i>et al.</i>                      |
| Study of symmetry energy using isospin diffusion process in heavy-ion collision at RIBF<br>N. Nakatsuka <i>et al.</i>   |
| Simulation study of neutron measurement using NEBULA simulation package for S <i>π</i> RIT project<br>G. Jhang <i>et al.</i>  |
| In-beam $\gamma$ -ray spectroscopy of <sup>34,36,38</sup> Mg: Merging the $N = 20$ and $N = 28$ shell quenching<br>P. Doornenbal <i>et al.</i>                        |
| In-beam γ-ray spectroscopy of <sup>80</sup> Zn·····<br>Y. Shiga <i>et al.</i>   |
| Intermediate energy Coulomb excitation of <sup>73,74,75</sup> Ni ·····<br>A. Gottardo <i>et al.</i>   |
| Zeeman resonance spectroscopy of <sup>84-87</sup> Rb in superfluid helium<br>X.F. Yang <i>et al.</i>  |
| Study of high-spin states in <sup>35</sup> S ·····<br>S. Go <i>et al.</i>   |
| Measurement of <sup>41</sup> S spin polarization<br>H. Shirai <i>et al.</i>   |
| Offline experiment of high-resolution resonance ionization spectroscopy on Titanium using injection-locked Ti:<br>Sapphire laser system<br>T. Takamatsu <i>et al.</i> |
| First α-γ spectroscopic study using a Si-Ge detector array installed at the focal plane of GARIS<br>D. Kaji <i>et al.</i>   |
| Experimental study of resonant states in <sup>27</sup> P via elastic scattering of <sup>26</sup> Si+p   |
| Study of resonance states in <sup>26</sup> Si by elastic scattering of <sup>22</sup> Mg+ $\alpha$<br>N.N. Duy <i>et al.</i>   |
| Confirmation of the astrophysically important 6.15-MeV, $1^-$ state in <sup>18</sup> Ne via resonant proton scattering of <sup>17</sup> F+p<br>J. Hu <i>et al.</i>    |

| Progress on the <sup>16</sup> N beta delayed alpha decay studied using the Center for Nuclear Study Multi Sampling Time<br>Projection Chamber<br>S. Cherubini <i>et al.</i>          | 45 |
|--|----|
| Search for new isotopes near the proton drip-line close to <sup>100</sup> Sn   | 46 |
| Identification of 18 new neutron-rich isotopes produced in the EURICA uranium beam campaign<br>Y. Shimizu <i>et al.</i>  | 47 |
| Charge-state determination for new isotopes near the proton drip-line<br>Y. Ohkoda <i>et al.</i>   | 48 |
| 2. Nuclear Physics (Theory)  |    |
| Giant monopole resonances in covariant finite-amplitude method   |    |
| Spin-orbit effects on pseudospin symmetry<br>H.Z. Liang <i>et al.</i>  |    |
| Shape evolution of giant resonances in Nd and Sm isotopes<br>K. Yoshida and T. Nakatsukasa   | 51 |
| Tensor force and shape evolution of Si isotopes in Skyrme-Hartree-Fock model<br>A. Li <i>et al.</i>  | 52 |
| Incompressibility in finite fermionic systems: application to stable and exotic nuclei   | 53 |
| Competition between $T = 1$ and $T = 0$ pairing in <i>pf</i> shell nuclei with $N = Z$<br>H. Sagawa <i>et al.</i>  | 54 |
| Joint project for large-scale nuclear strucuture calculations<br>N. Shimizu <i>et al.</i>  | 55 |
| Pairing correlation and quasi-particle resonances in neutron drip-line nuclei<br>Y. Kobayashi and M. Matsuo  | 56 |
| Di-neutron correlation in pair-addition vibrational mode of the neutron-rich Sn isotopes   | 57 |
| Angular momentum dependence of moments of inertia due to Coriolis anti-pairing and blocking effects<br>K. Sugawara-Tanabe and K. Tanabe  | 58 |
| Energy-density-functional calculations including proton-neutron mixing   | 59 |
| Skyrme-RPA calculation for octupole vibrations of rotating superdeformed nuclei  | 60 |
| Di-neutron correlation in asymptotic tail of weakly bound nuclei<br>Y. Zhang <i>et al.</i>   | 61 |
| Deformed nuclei in the black-sphere approximation  | 62 |
| Shell-model description of low-lying states in Rn isotopes<br>N. Yoshinaga and K. Higashiyama  | 63 |
| Shell-model study of nuclear structure around <sup>100</sup> Sn ······<br>M. Honma <i>et al.</i>   | 64 |
| Giant dipole resonance in <sup>88</sup> Mo from phonon damping model's strength functions averaged over temperature and angular momentum distributions<br>N. Dinh Dang <i>et al.</i> | 65 |
| On the importance of using exact pairing in the study of pygmy dipole resonance<br>N. Dinh Dang and N. Quang Hung  | 66 |
| Microscopic analysis of fusion hindrance in heavy systems<br>K. Washiyama  | 67 |
| 3. Nuclear Data  |    |
| Compilation of nuclear reaction data from RIBF<br>A. Makinaga <i>et al.</i>  | 69 |

| Nuclear data format suitable simultaneously for databases, experimentalists and users   | - 70 |
|---|------|
| Development of nuclear data application software with "Webble World"<br>S. Ebata <i>et al.</i>  | - 71 |
| Systematic study of nuclear data for nuclear transmutation  |      |
| JCPRG-RNC joint workshop on nuclear data<br>M. Aikawa <i>et al.</i>   | 73   |
| 4. Hadron Physics   |      |
| Neutral pion production with respect to centrality and reaction plane in Au+Au collisions at $\sqrt{s_{NN}} = 200 \text{ GeV} \cdots$<br>Y. Aramaki <i>et al.</i>                           | 75   |
| Study of medium properties with two particle correlations in <i>d</i> +Au collisions at $\sqrt{s_{\text{NN}}} = 200 \text{ GeV}$ at PHENIX<br>C.H. Chen                                     |      |
| Status of CuAu flow measurement ······<br>H. Nakagomi <i>et al.</i>   | . 77 |
| Study of direct photon azimuthal anisotropy in $\sqrt{s_{NN}} = 200$ GeV Au+Au in RHIC-PHENIX experiment<br>S. Mizuno <i>et al.</i>   |      |
| Result of the energy scan program at RHIC-PHENIX ······<br>Y. Ikeda   | . 79 |
| Search for the strong magnetic field via di-electron measurement in heavy-ion collisions at RHIC-PHENIX   | 80   |
| High $p_T$ hadron production in Au+Au collisions at $\sqrt{s_{NN}} = 200 \text{ GeV} \cdots$<br>Y. Akiba <i>et al.</i>  | 81   |
| Status of the charm and bottom measurement with PHENIX-VTX<br>T. Hachiya <i>et al.</i>  | 82   |
| Measurement of $D^0$ in $p+p$ collisions at $\sqrt{s} = 200$ GeV using the Silicon Vertex Tracker at RHIC-PHENIX<br>T. Moon <i>et al.</i>   | 83   |
| Development of coordinate offset online calibration system at RHIC-PHENIX   | 84   |
| Status of analysis of longitudinal double helicity asymmetry in $\pi^0$ production in $\sqrt{s} = 510$ GeV polarized proton–proton collision by PHENIX central arm<br>I. Yoon <i>et al.</i> | 85   |
| Status of $\pi^0$ pair $A_{LL}$ analysis in RHIC-PHENIX experiment  | 86   |
| Measurement of longitudinal double-spin asymmetries of $J/\psi$ production in polarized p+p collisions at $\sqrt{s} = 500$ GeV for 2012 run $\cdots$ X. Wang <i>et al.</i>                  | 87   |
| PHENIX local polarimetery analysis status<br>M. Kim <i>et al.</i>   | 88   |
| Sea quark polarization measurement by $W^{\pm} \rightarrow \mu^{\pm}$ in PHENIX 2012<br>C. Kim <i>et al.</i>  | 89   |
| Study of the dimuon process for PHENIX $W^{\pm} \rightarrow \mu^{\pm}$ analysis using 2012 data<br>S. Park <i>et al.</i>  | 90   |
| PHENIX W $\rightarrow \mu$ measurements from the 2013 data-taking period $\cdots$ R. Seidl <i>et al.</i>  | 91   |
| Improvement of global alignment of PHENIX muon tracker ······<br>T. Iguri <i>et al.</i>   | 92   |
| Forward spectrometer upgrade of the PHENIX experiment ····································  | 93   |
| Design for an eRHIC detector based on the sPHENIX detector<br>K. Boyle <i>et al.</i>  | 94   |

|    | The Application of Gaussian Procession to Background Spectrum Modeling at PHENIX       9         J. Seele <i>et al.</i> 9              | )5 |
|----|--|----|
|    | Fragmentation function measurements with the Belle detector  | 96 |
|    | Probing flavor asymmetry of antiquarks of the proton in the E906/SeaQuest experiment   | 97 |
|    | Elliptic flow of neutral pion in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV by ALICE experiment                                    | 98 |
|    | Measurement of high- $p_T$ neutral mesons with a high-energy photon trigger at ALICE   | 99 |
|    | Azimuthal distribution of jets with respect to high- $p_T$ neutral pion triggers in pp collisions from ALICE                           | )0 |
|    | Measurement of dielectron production in $\sqrt{s_{\text{NV}}} = 5.02 \text{ TeV } p$ -Pb collisions at LHC-ALICE                       | )1 |
| 5. | Hadron Physics (Theory)  |    |
|    | Quark contribution for center domain in heavy ion collisions   | 13 |
|    | Signatures of chiral magnetic wave in heavy ion collisions 10<br>HU. Yee   | )4 |
|    | Dihadron Fragmentation Functions in the NJL-Jet Model       10         H. Matevosyan <i>et al.</i> 10                                  | 15 |
|    | Twist-3 fragmentation and transverse single-spin asymmetries       10         D. Pitonyak       10                                     | )6 |
|    | Polarized fragmentation functions and electron-positron annihilation   | )7 |
|    | Spatial Wilson loops in high-energy heavy-ion collisions 10<br>A. Dumitru  | 18 |
|    | Bose-Einstein Condensation in "the very hot" 10<br>J. Liao   | 19 |
|    | Out-of-equilibrium chiral magnetic effect at strong coupling   | 0  |
|    | General conditions ensuring relativistic causality in an effective field theory based on the derivative expansion                      | 1  |
|    | Boundary Restoration of Chiral Symmetry 11<br>B. Tiburzi   | 2  |
|    | Cutoff effects on lattice nuclear forces 11<br>T. Doi  | 3  |
|    | Nucleon axial charge in lattice QCD with nearly physical pion mass       11         S. Ohta <i>et al.</i> 11                           | 4  |
|    | Lattice QCD calculation of $n - \bar{n}$ transition amplitudes11S. Syritsyn <i>et al.</i> 11   | 5  |
|    | Columbia plot and 't Hooft loop at imaginary chemical potential  | 6  |
|    | Progress towards an <i>ab initio</i> , Standard Model calculation of direct CP-violation in K-decays                                   | 7  |
| 6. | Particle Physics   |    |
|    | Improved estimate of neutral B meson mixing in static limit of b quark with AMA technique       11         T. Ishikawa et al.       11 | 9  |
|    | Lorentz invariant CPT violation 12<br>K. Fujikawa <i>et al.</i>  | 20 |

|    | Conditionally valid uncertainty relations<br>K. Fujikawa   | 121 |
|----|--|-----|
|    | Heisenberg uncertainty relation revisited<br>K. Fujikawa   | 122 |
|    | Note on intersecting branes in topological strings<br>T. Kimura  | 123 |
|    | Non-Lagrangian theories from brane junctions<br>M. Taki <i>et al.</i>  | 124 |
|    | Holomorphic blocks for 3D non-Abelian partition functions<br>M. Taki   | 125 |
|    | Notes on the enhancement of flavor symmetry and 5d superconformal index<br>M. Taki   | 126 |
|    | From the Berkovits formulation to the Witten formulation in open superstring field theory<br>Y. Iimori <i>et al.</i>                     | 127 |
|    | A landscape in boundary string field theory: new class of solutions with massive state condensation<br>K. Hashimoto and M. Murata        | 128 |
|    | Vacuum instability in electric fields via AdS/CFT: Euler-Heisenberg Lagrangian and Planckian thermalization<br>K. Hashimoto and T. Oka   | 129 |
|    | Unitarity bounds from generalised Käbler identities<br>J. Schmude  | 130 |
|    | Superconformal indices for gauge duals of $AdS_4 \times SE_7$<br>J. Schmude  | 131 |
|    | Sine square deformation and its implication to string theory<br>T. Tada  | 132 |
|    | Phase structure of two-dimensional topological insulators by lattice strong-coupling expansion<br>Y. Araki and T. Kimura                 | 133 |
|    | Effective gravitational interactions of dark matter axions<br>T. Noumi <i>et al.</i>   | 134 |
|    | Composite dark matter and lattice simulations<br>E.T. Neil <i>et al.</i>   | 135 |
| 7. | . Astrophysics and Astro-Glaciology  |     |
|    | Dynamics of X-ray–emitting ejecta in the oxygen-rich supernova remnant Puppis A revealed by the XMM-Newton RGS                           | 137 |
|    | S. Katsuda <i>et al.</i>   |     |
|    | <i>NuSTAR</i> observation of the fast rotating magnetized white dwarf AE Aquarii<br>T. Kitaguchi <i>et al.</i>                           | 138 |
|    | Measurement of nitrogen and oxygen isotope ratios in considerably low nitrate concentration ice core samples<br>S. Okamoto <i>et al.</i> | 139 |
| 8. | Accelerator  |     |
|    | Conceptual design of SC linac for RIBF-upgrade plan<br>K. Yamada <i>et al.</i>   | 141 |
|    | Recent development of RIKEN 28-GHz superconducting electron cyclotron resonance ion source   | 142 |
|    | Development of high-temperature oven for the 28-GHz ECR ion source ······<br>J. Ohnishi <i>et al.</i>                                    | 143 |
|    | Improved beryllium disk stripper for uranium acceleration at RIKEN RIBF  | 144 |
|    | Test ot differential pumping system with plasma window using gas cell  | 145 |
|    | Charge state distribution measurement of <sup>86</sup> Kr in H <sub>2</sub> and He gases at 2.7 MeV/nucleon                              | 146 |

|    | Air stripper for high-intensity xenon beam       147         H. Imao <i>et al.</i> 147   |
|----|--|
|    | Design and construction of drift tube linac cavities for RIKEN RI Beam Factory   |
|    | Renewal of automatic tuning systems for RILAC cavities   |
|    | Replacement of main coils of RRC-W sector magnet   |
|    | Replacement of the RIKEN ring cyclotron (RRC) power supplies       151         K. Kumagai et al.       151   |
|    | Vacuum leaks in accelerators 152<br>S. Watanabe <i>et al.</i>  |
|    | Reinforcement of magnetic shield for HTc SQUID beam current monitor at the RIBF       153         T. Watanabe <i>et al.</i> 153  |
|    | Online monitoring of beam intensity using current transformer at CRIB  |
|    | Online monitoring of beam phase and intensity using lock-in amplifiers 155<br>R. Koyama <i>et al.</i>  |
|    | Modification of beam diagnosis chambers in RILAC2 high-energy beam transport   |
|    | Upgrading the server system using virtualization technology in the RIBF control system   |
|    | Development of a system for measurement beam service time in RIBF operations   |
|    | NISHINA RIBF water-cooling system 2013   |
|    | Magnetic field clamp in direct plasma injection scheme       160         M. Okamura <i>et al.</i> 160  |
|    | Creation of cocktail beam from alloy target with laser 161<br>S. Ikeda <i>et al.</i>   |
|    | Interaction of plasmas in laser ion source with double laser system 162<br>Y. Fuwa <i>et al.</i>   |
|    | Control of plasma shape with pulsed solenoid on laser ion source   |
|    | Analyses of the plasma generated by laser irradiation on sputtered target for determination of the target thickness used<br>for plasma generation 164<br>M. Kumaki <i>et al.</i> |
| 9. | Instrumentation  |
|    | Ion-optical measurements using uranium primary beam with different charge states   |
|    | Database of radioactive isotopes produced at the BigRIPS separator       166         Y. Shimizu <i>et al.</i> 166  |
|    | Extraction of 3D field maps of magnetic multipoles from 2D surface measurements  |
|    | Radiation damage of plastic scintillation counter    168      D.S. Ahn <i>et al.</i> 168   |
|    | Development of the fast interlock system at the BigRIPS separator 169<br>K. Yoshida <i>et al.</i>  |
|    | Energy resolution of a gas ionization chamber for high-energy heavy ions   |

| Development of intense <sup>22</sup> Na beam for application to wear diagnostics   | 171 |
|--|-----|
| Development of ion-optics mode for the SAMURAI beam line   | 172 |
| Operational status of the superconducting SAMURAI magnet ·····<br>H. Sato <i>et al.</i>  | 173 |
| Vacuum system for the SAMURAI spectrometer ······<br>Y. Shimizu <i>et al.</i>  | 174 |
| Full-size partition window for the SAMURAI spectrometer<br>Y. Shimizu <i>et al.</i>  | 175 |
| Development Of Multiple-Particle Tracking Algorithm For Forward Drift Chamber In SAMURAI<br>M. Kurata-Nishimura <i>et al.</i>            | 176 |
| Effect of stray field of the SAMURAI spectrometer on the neutron detector array WINDS<br>Y. Kubota and M. Sasano                         | 177 |
| Development of a silicon detector array with large dynamic range<br>M. Kurokawa <i>et al.</i>  | 178 |
| Development of a γ-ray calorimeter for the measurement of highly excited states ······<br>Y. Togano <i>et al.</i>                        | 179 |
| Development of a next-generation PSD type neutron detector, NiGIRI   | 180 |
| Development of gating grid driver for SPiRIT TPC ·····<br>T. Usukura <i>et al.</i>   | 181 |
| SPYBOX: Clock Monitoring at the GET Electronics  | 182 |
| Development of TPC readout system for $S\pi RIT$ project $\cdots$<br>T. Isobe <i>et al.</i>  | 183 |
| Simulation study of a trigger scintillator array for the SPiRIT experiment   | 184 |
| SHARAQ spectrometer for high-resolution studies for RI-induced reactions<br>S. Michimasa <i>et al.</i>                                   | 185 |
| Development of dual effective gas gain multiplication in CNS Active Target for a high-intensity beam injection<br>C.S. Lee <i>et al.</i> | 186 |
| Development of enlarged spin-polarized proton target for RI beam experiments<br>S. Chebotaryov <i>et al.</i>                             | 187 |
| $\beta$ -NMR measurement of unstable nuclei with cross-polarization technique<br>T. Kawahara <i>et al.</i>                               | 188 |
| The spin polarization of proton target in SHARAQ04 experiment  | 189 |
| Proton polarization in photo-excited aromatic molecule at room temperature enhanced by intense optical source and temperature control    | 190 |
| Dynamic nuclear polarization with photoexcited triplet electrons in a glassy matrix  | 191 |
| Hyperpolarization of thin films with dynamic nuclear polarization using photoexcited triplet electrons                                   | 192 |
| Room-temperature hyperpolarization of nuclear spins in bulk  | 193 |
| Development of <sup>3</sup> He comagnetometer for <sup>129</sup> Xe EDM measurement ······<br>Y. Ichikawa <i>et al.</i>                  | 194 |
| SCRIT electron spectrometer (II)<br>T. Suda <i>et al.</i>  | 195 |

| Field measurement of SCRIT electron spectrometer<br>T. Tamae <i>et al.</i>   | 196 |
|--|-----|
| Design of Recoil-Arm for the SCRIT Experiment<br>Y. Shimakura <i>et al.</i>  | 197 |
| Test of new readout card for the SCRIT drift chamber<br>S. Matsuo <i>et al.</i>  | 198 |
| Construction status of the Rare-RI Ring (R3)<br>Y. Yamaguchi <i>et al.</i>   | 199 |
| Developments of time-of-flight detectors for Rare-RI Ring<br>Y. Abe <i>et al.</i>  | 200 |
| Performance of a resonant Schottky pick-up for the Rare-RI Ring project<br>F. Suzaki <i>et al.</i>   | 201 |
| Control system for the magnet power supplies of the Rare-RI Ring   | 202 |
| Installation of SLOWRI-1<br>M. Wada <i>et al</i> .   | 203 |
| Performance of an ion surfing rf-carpet in high gas pressure for application in a high energy RI beam gas catcher<br>F. Arai <i>et al.</i> | 204 |
| A gas-cell ion cooler and buncher for SLOWRI<br>Y. Ito <i>et al.</i>   | 205 |
| Conceptual design of a post accelerator for SLOWRI<br>S. Arai and M. Wada  | 206 |
| Wide-band mass measurements with a multi-reflection time-of-flight mass spectrograph<br>P. Schury <i>et al.</i>                            | 207 |
| Design work for PALIS system ·····<br>T. Sonoda <i>et al.</i>  | 208 |
| Transportation of laser beams for PALIS<br>H. Iimura <i>et al.</i>   | 209 |
| New laser system installation for PALIS<br>T. Sonoda <i>et al.</i>   | 210 |
| PALIS laser interlock system for human and machine protection<br>T. Sonoda <i>et al.</i>   | 211 |
| Measurement of the hyperfine structure of <sup>197</sup> Au atom in superfluid helium<br>T. Fujita <i>et al.</i>                           | 212 |
| GARIS-II commissioning #3 and #4<br>D. Kaji <i>et al.</i>  | 213 |
| Study on detector response to spontaneous fission events of heavy nuclides using the <sup>206</sup> Pb+ <sup>48</sup> Ca reaction          | 214 |
| Identification of every target mounted on a rotating wheel and its application<br>D. Kaji <i>et al.</i>                                    | 215 |
| Gamma-ray inspection of rotating object<br>T. Kambara <i>et al.</i>  | 216 |
| Image reconstruction algorithm for gamma-ray inspection of rotating objects  | 217 |
| Test of the MINOS liquid H <sub>2</sub> target at RIBF<br>A. Corsi <i>et al.</i>   | 218 |
| Development of KEK isotope separation system<br>Y. Hirayama <i>et al.</i>  | 219 |
| Detection efficiency of segmented neutron detector at 200 MeV<br>Y. Kubota <i>et al.</i>   | 220 |

## CONTENTS

|      | Preparation status of the J-PARC E16 experiment : measurement of vector meson mass in nuclei<br>S. Yokkaichi <i>et al.</i>   | 221 |
|------|--|-----|
|      | Background estimation and operation test of the GEM detectors for the J-PARC E16 experiment<br>D. Kawama <i>et al.</i>   | 222 |
|      | Development of the tracking detector with large GEM foils for the J-PARC E16 experiment<br>Y. Komatsu <i>et al.</i>  | 223 |
|      | Development of a prototype module for the lead-glass calorimeter readout and an ASIC for GEM foil trigger for<br>J-PARC E16 experiment<br>T.N. Takahashi <i>et al.</i> | 224 |
|      | Testing a GEM tracker in a magnetic field for the J-PARC E16 experiment<br>W. Nakai <i>et al.</i>  | 225 |
|      | Measurement of photoelectron yield in a hadron blind detector for the J-PARC E16 experiment  | 226 |
|      | Performance of scalable readout system<br>Y. Morino <i>et al.</i>  | 227 |
|      | Status of silicon pixel detector for PHENIX experiment toward RHIC Run-14 ······<br>M. Kurosawa <i>et al.</i>  | 228 |
|      | Construction of PHENIX Silicon Pixel Tracker<br>H. Torii <i>et al.</i>   | 229 |
|      | Quality assurance test of hybrid sensors for new silicon pixel detector<br>T. Sumita <i>et al.</i>   | 230 |
|      | Development of SOI pixel sensor for environmental radiation monitor<br>Y. Sekiguchi <i>et al.</i>  | 231 |
|      | High rate capability of gas ionization chamber with flash ADC<br>M. Sasano <i>et al.</i>   | 232 |
|      | Development of MWDC readout system for the spectroscopy experiment of $\eta$ ' mesic nuclei at GSI and FAIR<br>H. Yamakami <i>et al.</i>                               | 233 |
|      | Development of Trigger Circuit Forward Vertex Detector at PHENIX<br>T. Nagashima <i>et al.</i>   | 234 |
|      | Common trigger firmware for GTO<br>H. Baba <i>et al.</i>   | 235 |
|      | Computing and network environment at the RIKEN Nishina Center<br>T. Ichihara <i>et al.</i>   | 236 |
|      | CCJ operation in 2013 ·····<br>Y. Ikeda <i>et al</i> .   | 237 |
| III. | RESEARCH ACTIVITIES II (Material Science and Biology)  |     |
| 1.   | Atomic and Solid State Physics (Ion)   |     |
|      | Beta-NMR study of <sup>58</sup> Cu in Si   | 239 |
|      | Observation of hyperfine resonance of <sup>87</sup> Rb in superfluid helium toward laser spectroscopy of atoms with exotic nuclei                                      | 240 |
|      | Search for efficient laser resonance ionization schemes for Ta and W in KISS<br>M. Mukai <i>et al.</i>   | 241 |
|      | Reaction-rate measurements of cold ion-polar molecule reactions using a combined Stark-velocity-filter–ion-trap apparatus K. Okada <i>et al.</i>                       | 242 |
|      | Effects of 2.6-GeV uranium irradiation on (Ba,K)Fe <sub>2</sub> As <sub>2</sub> single crystals  | 243 |
|      | Site occupancies of hydrogen in Nb alloyed with oversized Ta atoms or undersized Mo atoms<br>E. Yagi <i>et al.</i>   | 244 |

|    | Evaluation of single-event damages on Silicon Carbide (SiC) power MOSFETs<br>E. Mizuta <i>et al.</i>   | 245 |
|----|--|-----|
| 2. | Atomic and Solid State Physics (Muon)  |     |
|    | $\mu$ SR study of the spin correlation in iron-chalcogenide superconductors $Fe_{1-y}M_ySe_{0.3}Te_{0.7}$ (M = Co, Ni, Zn)<br>T. Adachi <i>et al.</i>  | 247 |
|    | $\mu$ SR remeasurement of La <sub>2</sub> CuO <sub>4</sub> to reinvestigate the muon sites $\cdots$ B. Adiperdana <i>et al.</i>  | 248 |
|    | Magnetic ordering in Cu <sub>6</sub> O <sub>8</sub> TbCl Probed during the μSR measurement ·····<br>K. Kawashima <i>et al.</i>   | 249 |
|    | Disappearance of gapped Mott insulating phase neighboring Boseglass phase in Tl <sub>1-x</sub> K <sub>x</sub> CuCl <sub>3</sub> detected by longitudinal-field muon spin relaxation  | 250 |
|    | Magnetic order in pyrochlore iridate Nd <sub>2</sub> Ir <sub>2</sub> O <sub>7</sub> probed by employing muon spin relaxation   | 251 |
|    | Unconventional spin freezing in a highly two-dimensional spin-1/2 Kagome antiferromagnet Cd <sub>2</sub> Cu <sub>3</sub> (OH) <sub>6</sub> (SO <sub>4</sub> ) <sub>2</sub> ·4H <sub>2</sub> O: evidences of partial order and co-existing spin singlet state on distorted Kagome latticeX.G. Zheng <i>et al.</i> | 252 |
|    | Muon spin relaxation study of spin-glass freezing in the Heusler compound Ru <sub>1.9</sub> Fe <sub>0.1</sub> CrSi ······ M. Hiroi <i>et al.</i>   | 253 |
|    | $\mu$ SR study of heavy fermion superconductor URu <sub>2</sub> Si <sub>2</sub><br>I. Kawasaki <i>et al.</i>   | 254 |
|    | Magnetic instability induced by Rh doping in the Kondo semiconductor CeRu <sub>2</sub> Al <sub>10</sub> H. Guo <i>et al.</i>   | 255 |
|    | $\mu$ SR study on CeRu <sub>2</sub> Al <sub>10</sub> under pressure<br>H. Guo <i>et al.</i>  | 256 |
|    | Muon LCR measurements for organic magnets based on [Pd(dmit) <sub>2</sub> ] metal-complex molecules<br>M. Abdel Jawad <i>et al.</i>  | 257 |
|    | Study on static and dynamic spin-crossover tripyrazolylmethane iron(II) complexes by using µSR spectroscopy<br>N. Kojima <i>et al.</i>   | 258 |
|    | Na dynamics in the quasi-one-dimensional ionic conductor $NaM_2O_4$ ( <i>M</i> =Ti and V) ······<br>I. Umegaki <i>et al.</i>   | 259 |
|    | Lithium-ion diffusion in novel battery materials<br>J. Sugiyama <i>et al.</i>  | 260 |
|    | Muon Detection of Spin-Polarized Conduction Electrons Induced by Circularly-Polarized Direct Band Excitation in<br>n-type Si<br>H.W.K. Tom <i>et al.</i>   | 261 |
|    | Response of muonium to oxygen impurities in hemoglobin and other biological aqueous solutions for application to studies on hypoxia  | 262 |
|    | Development of room-temperature thermal-muonium-emitting material for ultra-slow muon production<br>S. Okada <i>et al.</i>   | 263 |
|    | Precision measurement of muonium hyperfine splitting at J-PARC; development of high-rate positron detector<br>S. Kanda <i>et al.</i>   | 264 |
| 3. | Radiochemistry and Nuclear Chemistry   |     |
|    | Cross-section measurement of the <sup>248</sup> Cm( <sup>19</sup> F,5 <i>n</i> ) <sup>262</sup> Db reaction<br>M. Murakami <i>et al.</i>   | 265 |
|    | Excitation functions for production of Nb and Ta isotopes in the $(d,x)$ reactions on <sup><i>nat</i></sup> Zr and <sup><i>nat</i></sup> Hf up to 24 MeV M. Murakami <i>et al.</i>   | 266 |
|    | Production cross sections of $(d,x)$ reactions on natural irons  | 267 |
|    | Deuteron activation cross sections for monitor reactions<br>N. Otuka <i>et al.</i>   | 268 |

## CONTENTS

| Solvent extraction of tungsten from oxalic acid solution with Aliquat 336 toward chemical studies of seaborgium<br>N. Goto <i>et al.</i>  | 269 |
|---|-----|
| Solvent extraction behavior of <sup>95g</sup> Nb and <sup>179</sup> Ta in HF medium with tributyl phosphate   | 270 |
| Extraction behavior of Nb and Ta with Aliquat 336 in HF solutions<br>D. Sato <i>et al.</i>  | 271 |
| Online coprecipitation experiment of <sup>85</sup> Zr and <sup>169</sup> Hf with Sm hydroxide for chemical study of Rf<br>Y. Kasamatsu <i>et al.</i>  | 272 |
| Adsorption behavior of Zr and Hf to TTA-resin in microcolumn for determining the forming ability of Rf monofluoride complex<br>A. Yokoyama <i>et al.</i>                                    | 273 |
| Coprecipitation experiment of various elements with Sm hydroxide using multitracer<br>Y. Kasamatsu <i>et al.</i>  | 274 |
| Development of rapid solvent extraction technique with flow injection analysis for superheavy element chemistry<br>T. Koyama <i>et al.</i>  | 275 |
| Production of <sup>179m</sup> W in the form of a carbonyl complex<br>M. Huang <i>et al.</i>   | 276 |
| Recovery of <sup>248</sup> Cm material from mixed Cm/Gd target<br>M. Murakami and H. Haba   | 277 |
| Method for preparing ultra-thin sources for low-energy particle spectrometry  | 278 |
| Production of purified <sup>85</sup> Sr solution<br>S. Yano <i>et al.</i>   | 279 |
| 4. Radiation Chemistry and Biology  |     |
| Linear-energy-transfer dependence of polymer gel dosimeters under carbon beam irradiation<br>T. Maeyama <i>et al.</i>   | 281 |
| Observation of unrepairable lesions at DNA by using 3-MeV proton microbeams produced by glass capillaries<br>T. Ikeda <i>et al.</i>   | 282 |
| Effects of trichostatin A on radiosensitivity to high-linear energy transger (LET) radiation in mammalian cells with defects in DNA repair proteins   | 283 |
| Cell-killing effect of low doses of high-LET heavy-ions (VI)<br>M. Tomita <i>et al.</i>   | 284 |
| Development of the mutant isolation system in fruit flies<br>K. Tsuneizumi and T. Abe   | 285 |
| Detection of deletions induced by Fe-ion irradiation in <i>Arabidopsis thaliana</i> using array comparative genomic hybridization   | 286 |
| Exome resequencing reveals mutations in rice induced by heavy-ion beam with LETmax  | 287 |
| <ul> <li><i>mPing</i>SCAR marker, a powerful tool for genetic analysis of agricultural traits in rice mutants induced using ion-beam irradiation</li> <li>H. Saito <i>et al.</i></li> </ul> | 288 |
| Identification of mutated sites induced by Ar-ion-beam irradiation in rice  | 289 |
| Relationship between gene expression level and LET immediately after heavy-ion beam irradiation in rice<br>K. Ishii <i>et al.</i>   | 290 |
| Isolation of early-heading mutants induced by heavy-ion radiation in an Indonesian native rice cultivar<br>T. Sato <i>et al.</i>  | 291 |
| The wheat plastochron mutant, <i>fushi-darake</i> , produced by heavy-ion beam mutagenesis  | 292 |

|       | Constructing <i>S</i> -locus deletion mutant in common buckwheat by using heavy-ion-beam irradiation  | 293 |
|-------|---|-----|
|       | DNA marker analysis revealed that the deletion is relatively small in loss-of-apomixis mutants  | 294 |
|       | Effect of C-ion beam irradiation on survival rates and flower color mutations in statice ( <i>Limonium sinuatum</i> Mill.) ···· 2<br>D. Ogawa <i>et al.</i> | 295 |
|       | Flower color mutants of chrysanthemum obtaioned using C-ion beam irradiation  | 296 |
|       | Effects of heavy-ion-beam irradiation on flower-color mutation in chrysanthemum   | 297 |
|       | Effect of heavy-ion beam irradiation on seeds reduction of 'Konta' kumquat fruit  | 298 |
|       | Rapid evaluation of mutational effects resulting from heavy-ion irradiation of Undaria pinnatifida       2         T. Hirano et al.       2                 | 299 |
|       | Effects of heavy-ion beam irradiation on sporophyte survival and growth in <i>Undaria pinnatifida</i>   | 300 |
|       | Mutation rates of Parachlorella kessileri by heavy-ion-beam irradiation and classification of their genomic deletion  |     |
|       | types<br>T. Yamazaki <i>et al.</i>  | 301 |
| IV. 0 | OPERATION RECORDS   |     |
|       | K. Yoneda <i>et al.</i>   | 303 |
|       | K. Yoneda et al.  | 304 |
|       | T. Kambara <i>et al.</i>  | 305 |
|       | E. Ikezawa <i>et al.</i>  | 306 |
|       | K. Tanaka <i>et al.</i>   | 307 |
|       | RILAC operation       3         E. Ikezawa <i>et al.</i> 3  | 309 |
|       | Radiation monitoring in the RIBF using ionization chambers       3         M. Nakamura <i>et al.</i> 3  | 310 |
|       | Operations of RIBF ring cyclotrons (RRC, fRC, IRC, and SRC).<br>R. Koyama <i>et al.</i>   | 311 |
|       | Operation of the superconducting ring cyclotron cryogenic system  | 312 |
|       | Present status of the BigRIPS cryogenic plant   | 313 |
|       | Present status of liquid-helium supply and recovery system  | 314 |
| V. EV | VENTS   |     |
|       | The 7 <sup>th</sup> Nishina School  | 315 |
| VI. C | DRGANIZATION AND ACTIVITIES OF RIKEN NISHINA CENTER (Activities and Members)  |     |
|       |   | 317 |
|       | Finances 3  | 318 |
|       | Staffing 3  | 319 |
|       | Management 3  | 319 |

| International Collaboration ·····  | 325   |
|--|---|
| Theoretical Research Division  |   |
| Quantum Hadron Physics Laboratory  | 328   |
| Theoretical Nuclear Physics Laboratory   | 332   |
| Strangeness nuclear physics Laboratory   | 335   |
| Mathematical Physics Laboratory  | 337   |
| Sub Nuclear System Research Division   |   |
| Radiation Laboratory ·····   | 340   |
| Advanced Meson Science Laboratory  | 345   |
| RIKEN-BNL Research Center  | 352   |
| Theory Group   | 353   |
| Computing Group ·····  | 355   |
| Experimental Group   | 357   |
| RIKEN Facility Office at RAL   | 361   |
| RIBF Research Division   |   |
| Radioactive Isotope Physics Laboratory   | 363   |
| Spin isospin Laboratory ·····  | 368   |
| Nuclear Spectroscopy Laboratory  | 372   |
| High Energy Astrophysics Laboratory  | 374   |
| Astro-Glaciology Research Unit   | 376   |
| Research Group for Superheavy Element  | 378   |
| Superheavy Element Production Team   | 380   |
|  |   |
| Superheavy Element Device Development Team   | 381   |
| Accelerator Group  | 381<br>382  |
| Accelerator Group ·····  |   |
| Accelerator Group ·····<br>Accelerator R&D Team ·····<br>Ion Source Team ·····   | 382   |
| Accelerator Group ·····<br>Accelerator R&D Team ·····<br>Ion Source Team ····<br>RILAC Team ····   | 382<br>383  |
| Accelerator Group ·····<br>Accelerator R&D Team ····<br>Ion Source Team ····<br>RILAC Team ····<br>Cyclotron Team ···  | 382<br>383<br>384   |
| Accelerator Group ·····<br>Accelerator R&D Team ·····<br>Ion Source Team ····<br>RILAC Team ····<br>Cyclotron Team<br>Beam Dynamics and Diagnostics Team ····  | 382<br>383<br>384<br>385  |
| Accelerator Group<br>Accelerator R&D Team<br>Ion Source Team<br>RILAC Team<br>Cyclotron Team<br>Beam Dynamics and Diagnostics Team<br>Cryogenic Technology Team  | 382<br>383<br>384<br>385<br>386   |
| Accelerator Group<br>Accelerator R&D Team<br>Ion Source Team<br>RILAC Team<br>Cyclotron Team<br>Beam Dynamics and Diagnostics Team<br>Cryogenic Technology Team<br>Infrastructure Management Team  | 382<br>383<br>384<br>385<br>386<br>387  |
| Accelerator Group<br>Accelerator R&D Team<br>Ion Source Team<br>RILAC Team<br>Cyclotron Team<br>Beam Dynamics and Diagnostics Team<br>Cryogenic Technology Team<br>Infrastructure Management Team  | 382<br>383<br>384<br>385<br>386<br>387<br>388   |
| Accelerator Group<br>Accelerator R&D Team<br>Ion Source Team<br>RILAC Team<br>Cyclotron Team<br>Beam Dynamics and Diagnostics Team<br>Cryogenic Technology Team<br>Infrastructure Management Team<br>Instrumentations Development Group<br>SLOWRI Team   | 382<br>383<br>384<br>385<br>386<br>387<br>388<br>389  |
| Accelerator Group<br>Accelerator R&D Team<br>Ion Source Team<br>RILAC Team<br>Cyclotron Team<br>Beam Dynamics and Diagnostics Team<br>Cryogenic Technology Team<br>Infrastructure Management Team<br>Instrumentations Development Group<br>SLOWRI Team<br>Rare RI-ring Team  | 382<br>383<br>384<br>385<br>386<br>387<br>388<br>389<br>390   |
| Accelerator Group Accelerator R&D Team Ion Source Team RILAC Team Cyclotron Team Beam Dynamics and Diagnostics Team Cryogenic Technology Team Infrastructure Management Team Instrumentations Development Group SLOWRI Team Rare RI-ring Team  | 382<br>383<br>384<br>385<br>386<br>387<br>388<br>389<br>390<br>391  |
| Accelerator Group<br>Accelerator R&D Team<br>Ion Source Team<br>RILAC Team<br>Cyclotron Team<br>Beam Dynamics and Diagnostics Team<br>Cryogenic Technology Team<br>Infrastructure Management Team<br>Instrumentations Development Group<br>SLOWRI Team<br>Rare RI-ring Team<br>SCRIT Team  | 382<br>383<br>384<br>385<br>386<br>387<br>388<br>389<br>390<br>391<br>394<br>396<br>398                             |
| Accelerator Group<br>Accelerator R&D Team<br>Ion Source Team<br>RILAC Team<br>Cyclotron Team<br>Beam Dynamics and Diagnostics Team<br>Cryogenic Technology Team<br>Infrastructure Management Team<br>Instrumentations Development Group<br>SLOWRI Team<br>Rare RI-ring Team<br>SCRIT Team<br>Research Instruments Group<br>BigRIPS Team  | 382<br>383<br>384<br>385<br>386<br>387<br>388<br>389<br>390<br>391<br>394<br>396                                    |
| Accelerator Group<br>Accelerator R&D Team<br>Ion Source Team<br>RILAC Team<br>Cyclotron Team<br>Beam Dynamics and Diagnostics Team<br>Cryogenic Technology Team<br>Infrastructure Management Team<br>Instrumentations Development Group<br>SLOWRI Team<br>Rare RI-ring Team<br>SCRIT Team<br>Research Instruments Group<br>BigRIPS Team<br>SAMURAI Team  | 382<br>383<br>384<br>385<br>386<br>387<br>388<br>389<br>390<br>391<br>394<br>396<br>398<br>399<br>401               |
| Accelerator Group<br>Accelerator R&D Team<br>Ion Source Team<br>RILAC Team<br>Cyclotron Team<br>Beam Dynamics and Diagnostics Team<br>Cryogenic Technology Team<br>Infrastructure Management Team<br>Infrastructure Management Team<br>SLOWRI Team<br>Rare RI-ring Team<br>SCRIT Team<br>Research Instruments Group<br>BigRIPS Team<br>SAMURAI Team<br>Computing and Network Team  | 382<br>383<br>384<br>385<br>386<br>387<br>388<br>389<br>390<br>391<br>394<br>396<br>398<br>399                      |
| Accelerator Group         Accelerator R&D Team         Ion Source Team         RILAC Team         Cyclotron Team         Beam Dynamics and Diagnostics Team         Cryogenic Technology Team         Infrastructure Management Team         Instrumentations Development Group         SLOWRI Team         Rare RI-ring Team         SCRIT Team         Research Instruments Group         BigRIPS Team         SAMURAI Team         Computing and Network Team         Detector Team   | 382<br>383<br>384<br>385<br>386<br>387<br>388<br>389<br>390<br>391<br>394<br>396<br>398<br>399<br>401               |
| Accelerator Group         Accelerator R&D Team         Ion Source Team         RILAC Team         Cyclotron Team         Beam Dynamics and Diagnostics Team         Cryogenic Technology Team         Infrastructure Management Team         Instrumentations Development Group         SLOWRI Team         Rare RI-ring Team         SCRIT Team         Research Instruments Group         BigRIPS Team         SAMURAI Team         Computing and Network Team         Detector Team         Accelerator Applications Research Group | 382<br>383<br>384<br>385<br>386<br>387<br>388<br>389<br>390<br>391<br>394<br>396<br>398<br>399<br>401<br>402<br>404 |
| Accelerator Group         Accelerator R&D Team         Ion Source Team         RILAC Team         Cyclotron Team         Beam Dynamics and Diagnostics Team         Cryogenic Technology Team         Infrastructure Management Team         Instrumentations Development Group         SLOWRI Team         Rare RI-ring Team         SCRIT Team         Research Instruments Group         BigRIPS Team         SAMURAI Team         Computing and Network Team         Detector Team   | 382<br>383<br>384<br>385<br>386<br>387<br>388<br>389<br>390<br>391<br>394<br>396<br>398<br>399<br>401<br>402<br>404 |

| User Liaison and Industrial Cooperation Group | 412 |
|---|-----|
| User Support Office ·····                     | 413 |
| Industrial Cooperation Office                 | 414 |
| Safety Management Group                       | 415 |
| Partner Institution                           | 417 |
| CNS   | 418 |
| Niigata University                            | 421 |
| KEK·····                                      | 423 |
| Events (April 2013 - March 2014)              | 425 |
| Awards (April 2013 - March 2014)              | 426 |
| Press Releases (April 2013 - March 2014)      | 427 |
| VII. LIST OF PUBLICATIONS & PRESENTATIONS     | 429 |
| VIII. LIST OF PREPRINTS                       | 537 |
| IX. LIST OF SYMPOSIA & WORKSHOPS              | 541 |
| X. LIST OF SEMINARS                           | 543 |
| AUTHOR INDEX                                  | 553 |