

List of Preprints (April 2016 – March 2017)

RIKEN NC-NP

| | | |
|-----|--|---------------------------------------|
| 164 | Quantal rotation and its coupling to intrinsic motion in nuclei | T. Nakatsukasa, K. Matsuyanagi et al. |
| 165 | Giant dipole resonance in hot rotating nuclei | D.R. Chakrabarty, N. Dinh Dang et al. |
| 166 | Microscopic derivation of the Bohr-Mottelson collective Hamiltonian and its application to quadrupole shape dynamics | K. Matsuyanagi, M. Matsuo et al. |
| 167 | Improved treatment of blocking effect at finite temperature | N. Quang Hung, N. Dinh Dang et al. |
| 168 | Time-dependent density-functional description of nuclear dynamics | T. Nakatsukasa, K. Matsuyanagi et al. |
| 169 | Self-consistent collective coordinate for reaction path and inertial mass | K. Wen, T. Nakatsukasa |
| 170 | Determination of a dineutron correlation in Borromean nuclei via a quasi-free knockout (p,pn) reaction | Y. Kikuchi, K. Ogata et al. |
| 171 | Effective restoration of dipole sum rules within the renormalized random-phase approximation | N. Quang Hung, N. Dinh Dang et al. |
| 172 | Sum rule study for Double Gamow-Teller states | H. Sagawa, T. Uesaka |
| 173 | Angular momentum gated thermodynamic properties in T_c isotopes | B. Dey, D. Pandit et al. |
| 174 | Giant dipole resonance and shape transitions in hot and rotating ^{88}Mo | A. K. Rhine Kumar, P. Arumugam et al. |
| 175 | Simultaneous microscopic description of nuclear level density and radiative strength function | N. Quang Hung, N. Dinh Dang et al. |
| 176 | Time-dependent density-functional calculation of nuclear response functions | T. Nakatsukasa |
| 177 | Examining possible neutron-halo nuclei heavier than ^{37}Mg | I. Hamamoto |

RIKEN NC- AC

| | | |
|---|-----------------------------------|---------|
| 3 | SLOWRI 後段加速器の概念設計(v2) | S. Arai |
| 4 | IH 空洞の概略設計 | S. Arai |
| 5 | GENRFQ-PREBUNCHER の入力データ | S. Arai |
| 6 | SLOWRI 後段加速器での異なる電荷質量比を持つイオンの同時加速 | S. Arai |

RIKEN MP

| | | |
|--|----------------|--|
| | Not Applicable | |
|--|----------------|--|

| RIKEN QHP | | |
|-----------|--|-------------------------------------|
| 219 | Nonperturbative RG analysis of five-dimensional $O(N)$ models with cubic interactions | K. Kamikado, T. Kanazawa |
| 220 | Mobile impurity in a Fermi sea from the functional renormalization group analytically continued to real time | K. Kamikado, T. Kanazawa, S. Uchino |
| 221 | Fixed point structure of the Abelian Higgs model | G. Fejos, T. Hatsuda |
| 222 | Magnetic Shift of the Chemical Freezeout and Electric Charge Fluctuations | K. Fukushima, Y. Hidaka |
| 223 | Probing Multi-Strange Dibaryon with Proton-Omega Correlation in High-energy Heavy Ion Collisions | K. Morita, A. Ohnishi et al. |
| 224 | Relativistic Brueckner-Hartree-Fock theory for finite nuclei | S. Shen, J. Hu et al. |
| 225 | Scattering of universal fermionic clusters in the resonating group method | P. Naidon, S. Endo et al. |
| 226 | Universal clusters as building blocks of stable quantum matter | S. Endo, A. M. Garc et al. |
| 227 | Efimov physics: a review | P. Naidon, S. Endo |
| 228 | A non-boost-invariant solution of relativistic hydrodynamics in 1+3 dimensions | Y. Hatta, B. Xiao, D. Yang |
| 229 | Transverse flow induced by inhomogeneous magnetic fields in the Bjorken expansion | S. Pu, D. Yang |
| 230 | A Fast Algorithm for Lattice Hyperonic Potentials | H. Nemura, S. Aoki et al. |
| 231 | First results of baryon interactions from lattice QCD with physical masses (2) — $S = -3$ and $S = -4$ sectors ($\Xi\Xi, \Xi\Sigma, \Xi\Lambda - \Xi\Sigma$) channels — | N. Ishii, S. Aoki et al. |
| 232 | Revision of the brick wall method for calculating the black hole thermodynamic quantities | F. Lenz, K. Ohta, K. Yazaki |
| 233 | Hyperon puzzle, hadron-quark crossover and massive neutron stars | K. Masuda, T. Hatsuda, T. Takatsuka |
| 234 | Hadron-quark crossover and hot neutron stars at birth | K. Masuda, T. Hatsuda, T. Takatsuka |
| 235 | Effects of hadronic rescattering on multistrange hadrons in high-energy nuclear collisions | S. Takeuchi, K. Murase et al. |
| 236 | Equation of State for SU(3) Gauge Theory via the Energy-Momentum Tensor under Gradient Flow | M. Kitazawa, T. Iritani et al. |
| 237 | Lattice Quantum Chromodynamics (Chap. 3 in "An advanced course in computational nuclear physics – bridging the scales from quarks to neutron stars –") | T. Hatsuda |
| 238 | Pseudospin symmetry in nuclear structure and its supersymmetric representation | H. Liang |
| 239 | Self-consistent relativistic quasiparticle random-phase approximation and its applications to charge-exchange excitations | Z. M. Niu, Y. F. Niu et al. |
| 240 | Probing Resonances of the Dirac Equation with Complex Momentum Representation | Niu Li, Min Shi et al. |
| 241 | Tetraquark and Pentaquark Systems in Lattice QCD | F. Okiharu, T. Doi et al. |
| 242 | Overscreened Kondo effect, (color) superconductivity, and Shiba states in Dirac metals and quark matter | T. Kanazawa, S. Uchino |
| 243 | Improved radial basis function approach with the odd-even corrections | Z. M. Niu, B. H. Sun et al. |
| 244 | Mirage in Temporal Correlation functions for Baryon-Baryon Interactions in Lattice QCD | T. Iritani, T. Doi et al. |
| 245 | Measurement of the CKM angle ϕ_1 in $BB^0 \rightarrow \bar{D}^{*0}h^0, \bar{D}^0 \rightarrow K_S^0 \pi^+\pi^-$ decay with time-dependent binned Dalitz plot analysis | V. Vorobyev et al. |
| 246 | Study of Excited Ξ_c States Decaying into Ξ_c^0 and Ξ_c^+ Baryons | J. Yelton et al. |
| 247 | Measurement of the branching ration of $D^{*+} \rightarrow \tau^- \bar{\nu}_\tau$ relative to $\bar{B}^0 \rightarrow D^{*+} \ell^- \bar{\nu}_\ell$ decays with a semileptonic tagging method | Y. Sato et al. |
| 248 | Dynamical Pattern Selection of Growing Cellular Mosaic in Fish Retina | N. Ogawa, T. Hatsuda et al. |
| 249 | The hidden charm pentaquarks are the hidden color-octet uud baryons? | S. Takeuchi, M. Takizawa |

| | | |
|-----|---|-------------------------------------|
| 250 | Kinetic derivation of generalized phase space Chern-Simons theory | T. Hayata, Y. Hidaka |
| 251 | Virtual photon polarization in ultrarelativistic heavy-ion collisions | G. Baym, T. Hatsuda, M. Strickland |
| 252 | Hot Neutron Stars with Hadron-Quark Crossover | K. Masada, T. Hatsuda, T. Takaysuka |
| 253 | Luescher's finite volume test for two-baryon systems with attractive interactions | S. Aoki, T. Doi et al. |
| 254 | Baryon interactions in lattice QCD: the direct method vs. the HAL QCD potential method | T. Iritani et al. |
| 255 | Interacting fermions in rotation: chiral symmetry restoration, moment of inertia and thermodynamics | M. Chernodub, S. Gongyo |
| 256 | Phases of circle-compactified QCD with adjoint fermions at finite density | T. Kanazawa et al. |
| 257 | Relativistic Chiral Kinetic Theory from Quantum Field Theories | Y. Hidaka, S. Pu et al. |
| 258 | Probing the resonance in the Dirac equation with quadruple-deformed potentials by complex momentum representation method | Z. Fang, M. Shi et al. |
| 259 | Holographic Photon Production in Heavy Ion Collisions | I. Iatrakis, E. Kiritsis et al. |
| 260 | Relativistic Chiral Kinetic Theory from Quantum Field Theories | Y. Hidaka, S. Pu et al. |
| 261 | Transverse flow induced by inhomogeneous magnetic fields in the Bjorken expansion | S. Pu, D. Yang |
| 262 | Two impurities in a Bose-Einstein condensate: from Yukawa to Efimov attracted polarons | P. Naidon |
| 263 | Electric Field Screening with Backflow at Pulsar Polar Cap | S. Kisaka, K. Asano et al. |
| 264 | CALET Upper Limits on X-Ray and Gamma-Ray Counterparts of GW151226 | O. Adriani, Y. Akaike et al. |
| 265 | Wide-band Spectra of Giant Radio Pulses from the Crab Pulsar | R. Mikami, K. Asano et al. |
| 266 | Black hole-neutron star binary merger: Dependence on black hole spin orientation and equation of state | K. Kawaguchi, K. Kyutoku et al. |
| 267 | High-resolution magnetohydrodynamics simulation of black hole-neutron star merger: Mass ejection and short gamma-ray burst | K. Kiuchi, Y. Sekiguchi et al. |
| 268 | Aligned spin neutron star-black hole mergers: a gravitational waveform amplitude model | F. Pannarale, E. Berti et al. |
| 269 | Gravitational-wave cutoff frequencies of tidally disruptive neutron star-black hole binary mergers | F. Pannarale, E. Berti et al. |
| 270 | Efficient magnetic-field amplification due to the Kelvin-Helmholtz instability in binary neutron star mergers | K. Kiuchi, P. Cerd et al. |
| 271 | Models of Kilonova/macronova emission from black hole-neutron star mergers | K. Kawaguchi, K. Kyutoku et al. |
| 272 | Effects of neutron-star dynamic tides on gravitational waveforms within the effective-one-body approach | T. Hinderer, A. Taracchini et al. |
| 273 | The unreasonable weakness of r-process cosmic rays in the neutron-star-merger nucleosynthesis scenario | K. Kyutoku, K. Ioka |
| 274 | Measurability of the tidal deformability by gravitational waves from coalescing binary neutron stars | K. Hotokezaka, K. Kyutoku et al. |
| 275 | Dynamical mass ejection from the merger of asymmetric binary neutron stars: Radiation-hydrodynamics study in general relativity | Y. Sekiguchi, K. Kiuchi et al. |
| 276 | Concise estimate of the expected number of detections for stellar-mass binary black holes by eLISA | K. Kyutoku, N. Seto |
| 277 | Gravitational-wave cosmography with eLISA and the Hubble tension | K. Kyutoku, N. Seto |
| 278 | Forecasting Tidal Disruption Events by Binary Black Hole Roulettes | N. Seto, K. Kyutoku |
| 279 | First results of baryon interactions from lattice QCD with physical masses (3) — Strangeness $S = -2$ two-baryon system | K. Sasaki, S. Aoki et al. |
| 280 | Kinetic Theory and Anomalous Transports in the Presence of the Phase-Space Non-abelian Berry Curvatures | T. Hayata, Y. Hidaka |
| 281 | QCD phase transition at real chemical potential with canonical approach | A. Nakamura, S. Oka, Y. Taniguchi |

| | | |
|-----|---|--------------------------------|
| 282 | Canonical approach to finite density QCD with multiple precision computation | R. Fukuda, A. Nakamura, S. Oka |
| 283 | Sign problem in finite density lattice QCD | V. A. Goy, V. Bornyakov et al. |
| 284 | Entanglement in four-dimensional SU(3) gauge theory | E. Itou, K. Nagata1 et al. |
| 285 | Stable Yang-Lee zeros in a truncated fugacity series from the net baryon number multiplicity distribution | K. Morita, A. Nakamura |
| 286 | Doubly magic nuclei from Lattice QCD forces at MPS = 469 MeV | C. McIlroy C. Barbieri et al. |
| 287 | Search for a dark vector gauge boson decaying to $\pi + \pi -$ using $\eta \rightarrow \pi + \pi - \gamma$ decays | E. Won et al. |
| 288 | Observation of $D0 \rightarrow \rho 0 \gamma$ and search for CP violation in radiative charm decays | T. Nanut et al. |
| 289 | Search for the 0^- glueball in Y(1S) and Y(2S) decays | S. Jia et al. |
| 290 | Search for D^0 decays to invisible final states at Belle | Y.-T. Lai et al. |
| 291 | Measurement of the τ lepton polarization and $R(D^*)$ in the decay $\bar{B} \rightarrow D^* \tau^- \bar{\nu}_\tau$ | S. Hirose et al. |
| 292 | Lepton-Flavor-Dependent Angular Analysis of $B \rightarrow K^* \ell^+ \ell^-$ | S. Wehle et al. |
| 293 | Electric dipole moment of the deuteron in the standard model with $NN - \Lambda N - \Sigma N - \Xi N$ coupling | N. Yamanaka |
| 294 | Review of the electric dipole moment of light nuclei | N. Yamanaka |
| 295 | A new matrix model | T. Kanazawa, M. Kieburg |
| 296 | Baryon interactions from lattice QCD with physical masses — Overview and S = 0, -4 sectors — | T. Doi, S. Aoki et al. |
| 297 | Baryon interactions from lattice QCD with physical masses — S = -3 sector: $\Xi\Sigma$ and $\Xi\Lambda - \Xi\Sigma$ — | N. Ishii, S. Aoki et al. |
| 298 | Baryon interactions from lattice QCD with physical masses — S = -2 sector — | K. Sasaki, S. Aoki et al. |
| 299 | Lambda-Nucleon and Sigma-Nucleon interactions from lattice QCD with physical masses | H. Nemura, S. Aoki et al. |
| 300 | Effects of rotation and boundaries on chiral symmetry breaking of relativistic fermions | M. Chernodub, S. Gongyo |
| 301 | Are two nucleons bound in lattice QCD for heavy quark masses? — Sanity check with Luscher's finite volume formula — | T. Iritani, S. Aoki et al. |
| 302 | Microscopic studies on nuclear spin-isospin properties — a personal perspective on covariant density functional theory | H. Liang |
| 303 | Search for $B \rightarrow h \bar{\nu} \nu$ decays with semileptonic tagging at Belle | J. Grygier et al. |
| 304 | Measurement of the Decays $B \rightarrow \eta \ell \nu_\ell$ and $B \rightarrow \eta' \ell \nu_\ell$ in Fully Reconstructed Events at Belle | C. Beleno et al. |
| 305 | First measurement of T -odd moments in $D^0 \rightarrow K_S^0 \pi^+ \pi^- \pi^0$ decays | K. Prasanth et al. |

CNS-REP

| | | |
|----|------------------------|--------------------|
| 95 | CNS Annual Report 2015 | T. Gunji, Y. Kishi |
|----|------------------------|--------------------|

Nishina Center Preprint server (not including Partner Institution) can be found at
<http://nishina-preprints.riken.jp/>